

27th International Joint Conference on Artificial Intelligence and 23rd European Conference on Artificial Intelligence (IJCAI-ECAI 2018)

Stockholm, Sweden
13-19 July 2018

Volume 1 of 8

Editor:

Jerome Lang

ISBN: 978-1-5108-7680-4

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2018) by International Joint Conference on Artificial Intelligence (IJCAI)
All rights reserved. No part of this book may be reproduced in any form by any electronic or mechanical means (including photocopying, recording, or information storage and retrieval) without permission in writing from the publisher.

Printed by Curran Associates, Inc. (2019)

For permission requests, please contact International Joint Conference on Artificial Intelligence (IJCAI) at the address below.

International Joint Conference on Artificial Intelligence (IJCAI)
Information Sciences Institute/USC 4676
Admiralty Way, Marina del Rey
CA 90292
USA

Phone: +49 (761) 203-8221

Fax: +49 (761) 203-8222

nebel@ijcai.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

Contents

Preface / lvi

IJCAI-18 Conference Organisation / lvii

Program Committee / lix

IJCAI-18 Sponsorship / lxxxviii

Awards and Distinguished Papers / lxxxviii

IJCAI-18 Organisation / xcv

Past IJCAI Conferences / xcvi

Invited Talks

Language to Action: Towards Interactive Task Learning with Physical Agents/ **2**
Joyce Y. Chai, Qiaozhi Gao, Lanbo She, Shaohua Yang, Sari Saba-Sadiya, Guangyue Xu

Model-free, Model-based, and General Intelligence/ **10**
Hector Geffner

Interactive, Collaborative Robots: Challenges and Opportunities/ **18**
Danica Kragic, Joakim Gustafson, Hakan Karaoguz, Patric Jensfelt, Robert Krug

Main Track

Agent-based and Multi-agent Systems

Robust Norm Emergence by Revealing and Reasoning about Context: Socially Intelligent Agents for Enhancing Privacy/ **28**
Nirav Ajmeri, Hui Guo, Pradeep K. Murukannaiah, Munindar P. Singh

Synthesis of Controllable Nash Equilibria in Quantitative Objective Game/ **35**
Shaull Almagor, Orna Kupferman, Giuseppe Perelli

Comparing Approximate Relaxations of Envy-Freeness/ **42**
Georgios Amanatidis, Georgios Birmpas, Vangelis Markakis

Reasoning about Consensus when Opinions Diffuse through Majority Dynamics/ **49**
Vincenzo Auletta, Diodato Ferraioli, Gianluigi Greco

Egalitarian Committee Scoring Rules/ **56**
Haris Aziz, Piotr Faliszewski, Bernard Grofman, Arkadii Slinko, Nimrod Talmon

Truthful Fair Division without Free Disposal/ **63**
Xiaohui Bei, Guangda Huzhang, Warut Suksompong

Accountable Approval Sorting/ **70**
Khaled Belahcene, Yann Chevaleyre, Christophe Labreuche, Nicolas Maudet, Vincent Mousseau, Wassila Ouerdane

- Alternating-time Temporal Logic on Finite Traces/ 77
Francesco Belardinelli, Alessio Lomuscio, Aniello Murano, Sasha Rubin
- Managing Communication Costs under Temporal Uncertainty/ 84
Nikhil Bhargava, Christian MuiSe, Tiago Vaquero, Brian Williams
- Fair Division Under Cardinality Constraints/ 91
Arpita Biswas, Siddharth Barman
- Big City vs. the Great Outdoors: Voter Distribution and How It Affects Gerrymandering/ 98
Allan Borodin, Omer Lev, Nisarg Shah, Tyrone Strangway
- Non-decreasing Payment Rules for Combinatorial Auctions/ 105
Vitor Bosshard, Ye Wang, Sven Seuken
- An Analytical and Experimental Comparison of Maximal Lottery Schemes/ 114
Florian Brandl, Felix Brandt, Christian Stricker
- Solving Patrolling Problems in the Internet Environment/ 121
Tomas Brazdil, Antonin Kucera, Vojtech Rehak
- Combinatorial Auctions via Machine Learning-based Preference Elicitation/ 128
Gianluca Brero, Benjamin Lubin, Sven Seuken
- Pairwise Liquid Democracy/ 137
Markus Brill, Nimrod Talmon
- Multiwinner Voting with Fairness Constraints/ 144
L. Elisa Celis, Lingxiao Huang, Nisheeth K. Vishnoi
- An FPTAS for Computing Nash Equilibrium in Resource Graph Games/ 152
Hau Chan, Albert Xin Jiang
- Vocabulary Alignment for Collaborative Agents: a Study with Real-World Multilingual How-to Instructions/ 159
Paula Chocron, Paolo Pareti
- Bidding in Periodic Double Auctions Using Heuristics and Dynamic Monte Carlo Tree Search/ 166
Moinul Morshed Porag Chowdhury, Christopher Kiekintveld, Son Tran, William Yeoh
- When Does Diversity of Agent Preferences Improve Outcomes in Selfish Routing?/ 173
Richard Cole, Thanasis Lianeas, Evdokia Nikolova
- Computing the Schulze Method for Large-Scale Preference Data Sets/ 180
Theresa Csar, Martin Lackner, Reinhard Pichler
- Facility Reallocation on the Line/ 188
Bart de Keijzer, Dominik Wojtczak
- An Operational Semantics for a Fragment of PRS/ 195
Lavindra de Silva, Felipe Meneguzzi, Brian Logan
- A Structural Approach to Activity Selection/ 203
Eduard Eiben, Robert Galian, Sebastian Ordyniak

- Negotiation Strategies for Agents with Ordinal Preferences/ **210**
Sefi Erlich, Noam Hazon, Sarit Kraus
- Opinion Diffusion and Campaigning on Society Graphs/ **219**
Piotr Faliszewski, Rica Gonen, Martin Koutecký, Nimrod Talmon
- On the Complexity of Chore Division/ **226**
Alireza Farhadi, MohammadTaghi Hajiaghayi
- Trembling-Hand Perfection in Extensive-Form Games with Commitment/ **233**
Gabriele Farina, Alberto Marchesi, Christian Kroer, Nicola Gatti, Tuomas Sandholm
- Probabilistic Verification for Obviously Strategyproof Mechanisms/ **240**
Diodato Ferraioli, Carmine Ventre
- On Fair Price Discrimination in Multi-Unit Markets/ **247**
Michele Flammini, Manuel Mauro, Matteo Tonelli
- An Axiomatic View of the Parimutuel Consensus Mechanism/ **254**
Rupert Freeman, David M. Pennock
- Deep Learning for Multi-Facility Location Mechanism Design/ **261**
Noah Golowich, Harikrishna Narasimhan, David C. Parkes
- Balancing Two-Player Stochastic Games with Soft Q-Learning/ **268**
Jordi Grau-Moya, Felix Leibfried, Haitham Bou-Ammar
- When Rigging a Tournament, Let Greediness Blind You/ **275**
Sushmita Gupta, Sanjukta Roy, Saket Saurabh, Meirav Zehavi
- Winning a Tournament by Any Means Necessary/ **282**
Sushmita Gupta, Sanjukta Roy, Saket Saurabh, Meirav Zehavi
- Fostering Cooperation in Structured Populations Through Local and Global Interference Strategies/ **289**
The Anh Han, Simon Lynch, Long Tran-Thanh, Francisco C. Santos
- Payoff Control in the Iterated Prisoner's Dilemma/ **296**
Dong Hao, Kai Li, Tao Zhou
- Ceteris paribus majority for social ranking/ **303**
Adrian Haret, Hossein Khani, Stefano Moretti, Meltem Öztürk
- Computational Aspects of the Preference Cores of Supermodular Two-Scenario Cooperative Games/ **310**
Daisuke Hatano, Yuichi Yoshida
- Computational Social Choice Meets Databases/ **317**
Benny Kimelfeld, Phokion G. Kolaitis, Julia Stoyanovich
- Symbolic Synthesis of Fault-Tolerance Ratios in Parameterised Multi-Agent Systems/ **324**
Panagiotis Kouvaros, Alessio Lomuscio, Edoardo Pirovano
- Explaining Multi-Criteria Decision Aiding Models with an Extended Shapley Value/ **331**
Christophe Labreuche, Simon Fossier

- Approval-Based Multi-Winner Rules and Strategic Voting/ **340**
Martin Lackner, Piotr Skowron
- Combining Opinion Pooling and Evidential Updating for Multi-Agent Consensus/ **347**
Chanelle Lee, Jonathan Lawry, Alan Winfield
- Service Exchange Problem/ **354**
Julien Lesca, Taiki Todo
- Tractable (Simple) Contests/ **361**
Priel Levy, David Sarne, Yonatan Aumann
- Customer Sharing in Economic Networks with Costs/ **368**
Bin Li, Dong Hao, Dengji Zhao, Tao Zhou
- Dynamic Fair Division Problem with General Valuations/ **375**
Bo Li, Wenyang Li, Yingkai Li
- Integrating Demand Response and Renewable Energy In Wholesale Market/ **382**
Chaojie Li, Chen Liu, Xinghuo Yu, Ke Deng, Tingwen Huang, Liangchen Liu
- Equilibrium Behavior in Competing Dynamic Matching Markets/ **389**
Zhuoshu Li, Neal Gupta, Sanmay Das, John P. Dickerson
- What Game Are We Playing? End-to-end Learning in Normal and Extensive Form Games/ **396**
Chun Kai Ling, Fei Fang, J. Zico Kolter
- Verifying Emergence of Bounded Time Properties in Probabilistic Swarm Systems/ **403**
Alessio Lomuscio, Edoardo Pirovano
- Maximin Share Allocations on Cycles/ **410**
Zbigniew Lonc, Mirosław Truszczynski
- Multi-Agent Path Finding with Deadlines/ **417**
Hang Ma, Glenn Wagner, Ariel Felner, Jiaoyang Li, T. K. Satish Kumar, Sven Koenig
- Optimal Bidding Strategy for Brand Advertising/ **424**
Takanori Maehara, Atsuhiko Narita, Jun Baba, Takayuki Kawabata
- Preference Orders on Families of Sets - When Can Impossibility Results Be Avoided?/ **433**
Jan Maly, Mirosław Truszczynski, Stefan Woltran
- Online Pricing for Revenue Maximization with Unknown Time Discounting Valuations/ **440**
Weichao Mao, Zhenzhe Zheng, Fan Wu, Guihai Chen
- Leadership in Singleton Congestion Games/ **447**
Alberto Marchesi, Stefano Coniglio, Nicola Gatti
- The Price of Usability: Designing Operationalizable Strategies for Security Games/ **454**
Sara Marie Mc Carthy, Corine M. Laan, Kai Wang, Phebe Vayanos, Arunesh Sinha, Milind Tambe
- Dynamically Forming a Group of Human Forecasters and Machine Forecaster for Forecasting Economic Indicators/ **461**
Takahiro Miyoshi, Shigeo Matsubara

- Goal-Based Collective Decisions: Axiomatics and Computational Complexity/ **468**
Arianna Novaro, Umberto Grandi, Dominique Longin, Emiliano Lorini
- Deontic Sensors/ **475**
Julian Padget, Marina De Vos, Charlie Ann Page
- Democratic Fair Allocation of Indivisible Goods/ **482**
Erel Segal-Halevi, Warut Suksompong
- Double Auctions in Markets for Multiple Kinds of Goods/ **489**
Erel Segal-Halevi, Avinatan Hassidim, Yonatan Aumann
- Redividing the Cake/ **498**
Erel Segal-Halevi
- Ex-post IR Dynamic Auctions with Cost-per-Action Payments/ **505**
Weiran Shen, Zihe Wang, Song Zuo
- Designing the Game to Play: Optimizing Payoff Structure in Security Games/ **512**
Zheyuan Ryan Shi, Ziyi Tang, Long Tran-Thanh, Rohit Singh, Fei Fang
- Efficient Computation of Approximate Equilibria in Discrete Colonel Blotto Games/ **519**
Dong Quan Vu, Patrick Loiseau, Alonso Silva
- A Decentralised Approach to Intersection Traffic Management/ **527**
Huan Vu, Samir Aknine, Sarvapali D. Ramchurn
- Extended Increasing Cost Tree Search for Non-Unit Cost Domains/ **534**
Thayne T. Walker, Nathan R. Sturtevant, Ariel Felner
- A Cloaking Mechanism to Mitigate Market Manipulation/ **541**
Xintong Wang, Yevgeniy Vorobeychik, Michael P. Wellman
- Budget-feasible Procurement Mechanisms in Two-sided Markets/ **548**
Weiwei Wu, Xiang Liu, Minming Li
- Exact Algorithms and Complexity of Kidney Exchange/ **555**
Mingyu Xiao, Xuanbei Wang
- Keeping in Touch with Collaborative UAVs: A Deep Reinforcement Learning Approach/ **562**
Bo Yang, Min Liu
- Recurrent Deep Multiagent Q-Learning for Autonomous Brokers in Smart Grid/ **569**
Yaodong Yang, Jianye Hao, Mingyang Sun, Zan Wang, Changjie Fan, Goran Strbac
- Multiwinner Voting with Restricted Admissible Sets: Complexity and Strategyproofness/ **576**
Yongjie Yang, Jianxin Wang
- Socially Motivated Partial Cooperation in Multi-agent Local Search/ **583**
Tal Zeevi, Roie Zivan, Omer Lev
- Strategyproof and Fair Matching Mechanism for Union of Symmetric M-convex Constraints/ **590**
Yuzhe Zhang, Kentaro Yahiro, Nathanaël Barrot, Makoto Yokoo

Computer Vision

MENet: A Metric Expression Network for Salient Object Segmentation/ **598**

Shulian Cai, Jiabin Huang, Delu Zeng, Xinghao Ding, John Paisley

Show, Observe and Tell: Attribute-driven Attention Model for Image Captioning/ **606**

Hui Chen, Guiguang Ding, Zijia Lin, Sicheng Zhao, Jungong Han

Learning Deep Unsupervised Binary Codes for Image Retrieval/ **613**

Junjie Chen, William K. Cheung, Anran Wang

Deep View-Aware Metric Learning for Person Re-Identification/ **620**

Pu Chen, Xinyi Xu, Cheng Deng

Knowledge-Embedded Representation Learning for Fine-Grained Image Recognition/ **627**

Tianshui Chen, Liang Lin, Riquan Chen, Yang Wu, Xiaonan Luo

Sharing Residual Units Through Collective Tensor Factorization To Improve Deep Neural Networks/ **635**

Yunpeng Chen, Xiaojie Jin, Bingyi Kang, Jiashi Feng, Shuicheng Yan

Scanpath Prediction for Visual Attention using IOR-ROI LSTM/ **642**

Zhenzhong Chen, Wanjie Sun

Multi-scale and Discriminative Part Detectors Based Features for Multi-label Image Classification/ **649**

Gong Cheng, Decheng Gao, Yang Liu, Junwei Han

Anonymizing k Facial Attributes via Adversarial Perturbations/ **656**

Saheb Chhabra, Richa Singh, Mayank Vatsa, Gaurav Gupta

Dual Adversarial Networks for Zero-shot Cross-media Retrieval/ **663**

Jingze Chi, Yuxin Peng

Siamese CNN-BiLSTM Architecture for 3D Shape Representation Learning/ **670**

Guoxian Dai, Jin Xie, Yi Fang

Cross-Modality Person Re-Identification with Generative Adversarial Training/ **677**

Pingyang Dai, Rongrong Ji, Haibin Wang, Qiong Wu, Yuyu Huang

R³Net: Recurrent Residual Refinement Network for Saliency Detection/ **684**

Zijun Deng, Xiaowei Hu, Lei Zhu, Xuemiao Xu, Jing Qin, Guoqiang Han, Pheng-Ann Heng

Unsupervised Cross-Modality Domain Adaptation of ConvNets for Biomedical Image Segmentations with Adversarial Loss/ **691**

Qi Dou, Cheng Ouyang, Cheng Chen, Hao Chen, Pheng-Ann Heng

Enhanced-alignment Measure for Binary Foreground Map Evaluation/ **698**

Deng-Ping Fan, Cheng Gong, Yang Cao, Bo Ren, Ming-Ming Cheng, Ali Borji

Watching a Small Portion could be as Good as Watching All: Towards Efficient Video Classification/ **705**

Hehe Fan, Zhongwen Xu, Linchao Zhu, Chenggang Yan, Jianjun Ge, Yi Yang

Age Estimation Using Expectation of Label Distribution Learning/ **712**

Bin-Bin Gao, Hong-Yu Zhou, Jianxin Wu, Xin Geng

- Coarse-to-fine Image Co-segmentation with Intra and Inter Rank Constraints/ **719**
Lianli Gao, Jingkuan Song, Dongxiang Zhang, Heng Tao Shen
- View-Volume Network for Semantic Scene Completion from a Single Depth Image/ **726**
Yuxiao Guo, Xin Tong
- Harnessing Synthesized Abstraction Images to Improve Facial Attribute Recognition/ **733**
Keke He, Yanwei Fu, Wuhaio Zhang, Chengjie Wang, Yu-Gang Jiang, Feiyue Huang, Xiangyang Xue
- StackDRL: Stacked Deep Reinforcement Learning for Fine-grained Visual Categorization/ **741**
Xiangteng He, Yuxin Peng, Junjie Zhao
- Co-attention CNNs for Unsupervised Object Co-segmentation/ **748**
Kuang-Jui Hsu, Yen-Yu Lin, Yung-Yu Chuang
- Human Motion Generation via Cross-Space Constrained Sampling/ **757**
Zhongyue Huang, Jingwei Xu, Bingbing Ni
- Semantic Locality-Aware Deformable Network for Clothing Segmentation/ **764**
Wei Ji, Xi Li, Yueting Zhuang, Omar El Farouk Bourahla, Yixin Ji, Shihao Li, Jiabao Cui
- Deep CNN Denoiser and Multi-layer Neighbor Component Embedding for Face Hallucination/ **771**
Junjun Jiang, Yi Yu, Jinhui Hu, Suhua Tang, Jiayi Ma
- Feature Integration with Adaptive Importance Maps for Visual Tracking/ **779**
Aishi Li, Ming Yang, Wanqi Yang
- Co-occurrence Feature Learning from Skeleton Data for Action Recognition and Detection with Hierarchical Aggregation/ **786**
Chao Li, Qiaoyong Zhong, Di Xie, Shiliang Pu
- Image Captioning with Visual-Semantic LSTM/ **793**
Nannan Li, Zhenzhong Chen
- Nonrigid Points Alignment with Soft-weighted Selection/ **800**
Xuelong Li, Jian Yang, Qi Wang
- Deeply-Supervised CNN Model for Action Recognition with Trainable Feature Aggregation/ **807**
Yang Li, Kan Li, Xinxin Wang
- Live Face Verification with Multiple Instantialized Local Homographic Parameterization/ **814**
Chen Lin, Zhouyingcheng Liao, Peng Zhou, Jianguo Hu, Bingbing Ni
- Multi-Level Policy and Reward Reinforcement Learning for Image Captioning/ **821**
Anan Liu, Ning Xu, Hanwang Zhang, Weizhi Nie, Yuting Su, Yongdong Zhang
- Cross-Domain 3D Model Retrieval via Visual Domain Adaption/ **828**
Anan Liu, Shu Xiang, Wenhui Li, Weizhi Nie, Yuting Su
- Deep Attribute Guided Representation for Heterogeneous Face Recognition/ **835**
Decheng Liu, Nannan Wang, Chunlei Peng, Jie Li, Xinbo Gao
- When Image Denoising Meets High-Level Vision Tasks: A Deep Learning Approach/ **842**
Ding Liu, Bihan Wen, Xianming Liu, Zhangyang Wang, Thomas Huang

- Crowd Counting using Deep Recurrent Spatial-Aware Network/ **849**
Lingbo Liu, Hongjun Wang, Guanbin Li, Wanli Ouyang, Liang Lin
- H-Net: Neural Network for Cross-domain Image Patch Matching/ **856**
Weiyan Liu, Xuelun Shen, Cheng Wang, Zhihong Zhang, Chenglu Wen, Jonathan Li
- DEL: Deep Embedding Learning for Efficient Image Segmentation/ **864**
Yun Liu, Peng-Tao Jiang, Vahan Petrosyan, Shi-Jie Li, Jiawang Bian, Le Zhang, Ming-Ming Cheng
- Progressive Generative Hashing for Image Retrieval/ **871**
Yuqing Ma, Yue He, Fan Ding, Sheng Hu, Jun Li, Xianglong Liu
- MEGAN: Mixture of Experts of Generative Adversarial Networks for Multimodal Image Generation/ **878**
David Keetae Park, Seungjoo Yoo, Hyojin Bahng, Jaegul Choo, Noseong Park
- Dilated Convolutional Network with Iterative Optimization for Continuous Sign Language Recognition/ **885**
Junfu Pu, Wengang Zhou, Houqiang Li
- Cross-media Multi-level Alignment with Relation Attention Network/ **892**
Jinwei Qi, Yuxin Peng, Yuxin Yuan
- Dual Conditional GANs for Face Aging and Rejuvenation/ **899**
Jingkuan Song, Jingqiu Zhang, Lianli Gao, Xianglong Liu, Heng Tao Shen
- From Pixels to Objects: Cubic Visual Attention for Visual Question Answering/ **906**
Jingkuan Song, Pengpeng Zeng, Lianli Gao, Heng Tao Shen
- Hierarchical Graph Structure Learning for Multi-View 3D Model Retrieval/ **913**
Yuting Su, Wenhui Li, Anan Liu, Weizhi Nie
- Learning to Write Stylized Chinese Characters by Reading a Handful of Examples/ **920**
Danyang Sun, Tongzheng Ren, Chongxuan Li, Hang Su, Jun Zhu
- Image-level to Pixel-wise Labeling: From Theory to Practice/ **928**
Tiezhu Sun, Wei Zhang, Zhijie Wang, Lin Ma, Zequn Jie
- Long-Term Human Motion Prediction by Modeling Motion Context and Enhancing Motion Dynamics/ **935**
Yongyi Tang, Lin Ma, Wei Liu, Wei-Shi Zheng
- CR-GAN: Learning Complete Representations for Multi-view Generation/ **942**
Yu Tian, Xi Peng, Long Zhao, Shaoting Zhang, Dimitris N. Metaxas
- Representation Learning for Scene Graph Completion via Jointly Structural and Visual Embedding/ **949**
Hai Wan, Yonghao Luo, Bo Peng, Wei-Shi Zheng
- Collaborative and Attentive Learning for Personalized Image Aesthetic Assessment/ **957**
Guolong Wang, Junchi Yan, Zheng Qin
- Uncertainty Sampling for Action Recognition via Maximizing Expected Average Precision/ **964**
Hanmo Wang, Xiaojun Chang, Lei Shi, Yi Yang, Yi-Dong Shen
- Collaborative Learning for Weakly Supervised Object Detection/ **971**
Jiajie Wang, Jiangchao Yao, Ya Zhang, Rui Zhang

- DRPose3D: Depth Ranking in 3D Human Pose Estimation/ **978**
Min Wang, Xipeng Chen, Wentao Liu, Chen Qian, Liang Lin, Lizhuang Ma
- Do not Lose the Details: Reinforced Representation Learning for High Performance Visual Tracking/ **985**
Qiang Wang, Mengdan Zhang, Junliang Xing, Jin Gao, Weiming Hu, Steve Maybank
- Ensemble Soft-Margin Softmax Loss for Image Classification/ **992**
Xiaobo Wang, Shifeng Zhang, Zhen Lei, Si Liu, Xiaojie Guo, Stan Z. Li
- Deep Propagation Based Image Matting/ **999**
Yu Wang, Yi Niu, Peiyong Duan, Jianwei Lin, Yuanjie Zheng
- Densely Cascaded Shadow Detection Network via Deeply Supervised Parallel Fusion/ **1007**
Yupei Wang, Xin Zhao, Yin Li, Xuecai Hu, Kaiqi Huang
- HCR-Net: A Hybrid of Classification and Regression Network for Object Pose Estimation/ **1014**
Zairan Wang, Weiming Li, Yueying Kao, Dongqing Zou, Qiang Wang, Minsu Ahn, Sunghoon Hong
- Deep Reasoning with Knowledge Graph for Social Relationship Understanding/ **1021**
Zhouxia Wang, Tianshui Chen, Jimmy Ren, Weihao Yu, Hui Cheng, Liang Lin
- Multi-modal Circulant Fusion for Video-to-Language and Backward/ **1029**
Aming Wu, Yahong Han
- Annotation-Free and One-Shot Learning for Instance Segmentation of Homogeneous Object Clusters/ **1036**
Zheng Wu, Ruiheng Chang, Jiayu Ma, Cewu Lu, Chi Keung Tang
- Fine-grained Image Classification by Visual-Semantic Embedding/ **1043**
Huapeng Xu, Guilin Qi, Jingjing Li, Meng Wang, Kang Xu, Huan Gao
- Evaluating Brush Movements for Chinese Calligraphy: A Computer Vision Based Approach/ **1050**
Pengfei Xu, Lei Wang, Ziyu Guan, Xia Zheng, Xiaojiang Chen, Zhanyong Tang, Dingyi Fang, Xiaoqing Gong, Zheng Wang
- Multi-task Layout Analysis for Historical Handwritten Documents Using Fully Convolutional Networks/ **1057**
Yue Xu, Fei Yin, Zhaoxiang Zhang, Cheng-Lin Liu
- Semantic Structure-based Unsupervised Deep Hashing/ **1064**
Erkun Yang, Cheng Deng, Tongliang Liu, Wei Liu, Dacheng Tao
- IncepText: A New Inception-Text Module with Deformable PSROI Pooling for Multi-Oriented Scene Text Detection/ **1071**
Qiangpeng Yang, Mengli Cheng, Wenmeng Zhou, Yan Chen, Minghui Qiu, Wei Lin
- SSR-Net: A Compact Soft Stagewise Regression Network for Age Estimation/ **1078**
Tsun-Yi Yang, Yi-Hsuan Huang, Yen-Yu Lin, Pi-Cheng Hsiu, Yung-Yu Chuang
- Extracting Privileged Information from Untagged Corpora for Classifier Learning/ **1085**
Yazhou Yao, Jian Zhang, Fumin Shen, Wankou Yang, Xian-Sheng Hua, Zhenmin Tang
- Visible Thermal Person Re-Identification via Dual-Constrained Top-Ranking/ **1092**
Mang Ye, Zheng Wang, Xiangyuan Lan, Pong C. Yuen
- Adversarial Attribute-Image Person Re-identification/ **1100**
Zhou Yin, Wei-Shi Zheng, Ancong Wu, Hong-Xing Yu, Hai Wan, Xiaowei Guo, Feiyue Huang, Jianhuang Lai

- Exploiting Images for Video Recognition with Hierarchical Generative Adversarial Networks/ **1107**
Feiwu Yu, Xinxiao Wu, Yuchao Sun, Lixin Duan
- Rethinking Diversified and Discriminative Proposal Generation for Visual Grounding/ **1114**
Zhou Yu, Jun Yu, Chenchao Xiang, Zhou Zhao, Qi Tian, Dacheng Tao
- SafeNet: Scale-normalization and Anchor-based Feature Extraction Network for Person Re-identification/ **1121**
Kun Yuan, Qian Zhang, Chang Huang, Shiming Xiang, Chunhong Pan
- Visual Data Synthesis via GAN for Zero-Shot Video Classification/ **1128**
Chenrui Zhang, Yuxin Peng
- Better and Faster: Knowledge Transfer from Multiple Self-supervised Learning Tasks via Graph Distillation for Video Classification/ **1135**
Chenrui Zhang, Yuxin Peng
- Markov Random Neural Fields for Face Sketch Synthesis/ **1142**
Mingjin Zhang, Nannan Wang, Xinbo Gao, Yunsong Li
- Salient Object Detection by Lossless Feature Reflection/ **1149**
Pingping Zhang, Wei Liu, Huchuan Lu, Chunhua Shen
- High Resolution Feature Recovering for Accelerating Urban Scene Parsing/ **1156**
Rui Zhang, Sheng Tang, Luoqi Liu, Yongdong Zhang, Jintao Li, Shuicheng Yan
- Robust Face Sketch Synthesis via Generative Adversarial Fusion of Priors and Parametric Sigmoid/ **1163**
Shengchuan Zhang, Rongrong Ji, Jie Hu, Yue Gao, Chia-Wen Lin
- Layered Optical Flow Estimation Using a Deep Neural Network with a Soft Mask/ **1170**
Xi Zhang, Di Ma, Xu Ouyang, Shanshan Jiang, Lin Gan, Gady Agam
- Video Captioning with Tube Features/ **1177**
Bin Zhao, Xuelong Li, Xiaoqiang Lu
- 3D-Aided Deep Pose-Invariant Face Recognition/ **1184**
Jian Zhao, Lin Xiong, Yu Cheng, Yi Cheng, Jianshu Li, Li Zhou, Yan Xu, Jayashree Karlekar, Sugiri Pranata, Shengmei Shen, Junliang Xing, Shuicheng Yan, Jiashi Feng
- Hi-Fi: Hierarchical Feature Integration for Skeleton Detection/ **1191**
Kai Zhao, Wei Shen, Shanghua Gao, Dandan Li, Ming-Ming Cheng
- Distortion-aware CNNs for Spherical Images/ **1198**
Qiang Zhao, Chen Zhu, Feng Dai, Yike Ma, Guoqing Jin, Yongdong Zhang
- A Multi-task Learning Approach for Image Captioning/ **1205**
Wei Zhao, Benyou Wang, Jianbo Ye, Min Yang, Zhou Zhao, Ruotian Luo, Yu Qiao
- A Comparative Study of Transactional and Semantic Approaches for Predicting Cascades on Twitter/ **1212**
Yunwei Zhao, Can Wang, Chi-Hung Chi, Kwok-Yan Lam, Sen Wang
- Learning Robust Gaussian Process Regression for Visual Tracking/ **1219**
Linyu Zheng, Ming Tang, Jinqiao Wang
- Centralized Ranking Loss with Weakly Supervised Localization for Fine-Grained Object Retrieval/ **1226**

Xiawu Zheng, Rongrong Ji, Xiaoshuai Sun, Yongjian Wu, Feiyue Huang, Yanhua Yang

DehazeGAN: When Image Dehazing Meets Differential Programming/ 1234

Hongyuan Zhu, Xi Peng, Vijay Chandrasekhar, Liyuan Li, Joo-Hwee Lim

Constraints and SAT

A Framework for Constraint Based Local Search using Essence/ 1242

Özgür Akgün, Saad Attieh, Ian P. Gent, Christopher Jefferson, Ian Miguel, Peter Nightingale, András Z. Salamon, Patrick Spracklen, James Wetter

On the Satisfiability Threshold of Random Community-Structured SAT/ 1249

Dina Barak-Pelleg, Daniel Berend

Classification Transfer for Qualitative Reasoning Problems/ 1256

Manuel Bodirsky, Peter Jonsson, Barnaby Martin, Antoine Mottet

Descriptive Clustering: ILP and CP Formulations with Applications/ 1263

Thi-Bich-Hanh Dao, Chia-Tung Kuo, S. S. Ravi, Christel Vrain, Ian Davidson

Methods for off-line/on-line optimization under uncertainty/ 1270

Allegra De Filippo, Michele Lombardi, Michela Milano

Machine Learning and Constraint Programming for Relational-To-Ontology Schema Mapping/ 1277

Diego De Uña, Nataliia Rümmele, Graeme Gange, Peter Schachte, Peter J. Stuckey

Unary Integer Linear Programming with Structural Restrictions/ 1284

Eduard Eiben, Robert Ganian, Dušan Knop, Sebastian Ordyniak

Divide and Conquer: Towards Faster Pseudo-Boolean Solving/ 1291

Jan Elffers, Jakob Nordström

Seeking Practical CDCL Insights from Theoretical SAT Benchmarks/ 1300

Jan Elffers, Jesús Giráldez-Cru, Stephan Gocht, Jakob Nordström, Laurent Simon

Boosting MCSes Enumeration/ 1309

Éric Grégoire, Yacine Izza, Jean-Marie Lagniez

Conflict Directed Clause Learning for Maximum Weighted Clique Problem/ 1316

Emmanuel Hebrard, George Katsirelos

Simpler and Faster Algorithm for Checking the Dynamic Consistency of Conditional Simple Temporal Networks/ 1324

Luke Hunsberger, Roberto Posenato

DMC: A Distributed Model Counter/ 1331

Jean-Marie Lagniez, Pierre Marquis, Nicolas Szczepanski

Solving Exist-Random Quantified Stochastic Boolean Satisfiability via Clause Selection/ 1339

Nian-Ze Lee, Yen-Shi Wang, Jie-Hong R. Jiang

Solving (Weighted) Partial MaxSAT by Dynamic Local Search for SAT/ 1346

Zhendong Lei, Shaowei Cai

Core-Guided Minimal Correction Set and Core Enumeration/ 1353

Nina Narodytska, Nikolaj Bjørner, Maria-Cristina Marinescu, Mooly Sagiv

Learning Optimal Decision Trees with SAT/ 1362

Nina Narodytska, Alexey Ignatiev, Filipe Pereira, Joao Marques-Silva

Accelerated Difference of Convex functions Algorithm and its Application to Sparse Binary Logistic Regression/ 1369

Duy Nhat Phan, Hoai Minh Le, Hoai An Le Thi

Stratification for Constraint-Based Multi-Objective Combinatorial Optimization/ 1376

Miguel Terra-Neves, Inês Lynce, Vasco Manquinho

Compact-MDD: Efficiently Filtering (s)MDD Constraints with Reversible Sparse Bit-sets/ 1383

Hélène Verhaeghe, Christophe Lecoutre, Pierre Schaus

A Reactive Strategy for High-Level Consistency During Search/ 1390

Robert J. Woodward, Berthe Y. Choueiry, Christian Bessiere

A Fast Algorithm for Generalized Arc Consistency of the Alldifferent Constraint/ 1398

Xizhe Zhang, Qian Li, Weixiong Zhang

Heuristic Search and Game Playing

A General Approach to Running Time Analysis of Multi-objective Evolutionary Algorithms/ 1405

Chao Bian, Chao Qian, Ke Tang

Improving Local Search for Minimum Weight Vertex Cover by Dynamic Strategies/ 1412

Shaowei Cai, Wenying Hou, Jinkun Lin, Yuanjie Li

Back to Basics: Benchmarking Canonical Evolution Strategies for Playing Atari/ 1419

Patryk Chrabaszcz, Ilya Loshchilov, Frank Hutter

The FastMap Algorithm for Shortest Path Computations/ 1427

Liron Cohen, Tansel Uras, Shiva Jahangiri, Aliyah Arunasalam, Sven Koenig, T. K. Satish Kumar

Anytime Focal Search with Applications/ 1434

Liron Cohen, Matias Greco, Hang Ma, Carlos Hernandez, Ariel Felner, T. K. Satish Kumar, Sven Koenig

Neural Networks for Predicting Algorithm Runtime Distributions/ 1442

Katharina Eggenberger, Marius Lindauer, Frank Hutter

An Exact Algorithm for Maximum k-Plexes in Massive Graphs/ 1449

Jian Gao, Jiejiang Chen, Minghao Yin, Rong Chen, Yiyuan Wang

A Fast Algorithm for Optimally Finding Partially Disjoint Shortest Paths/ 1456

Longkun Guo, Yunyun Deng, Kewen Liao, Qiang He, Timos Sellis, Zheshan Hu

Best-Case and Worst-Case Behavior of Greedy Best-First Search/ 1463

Manuel Heusner, Thomas Keller, Malte Helmert

Knowledge-Guided Agent-Tactic-Aware Learning for StarCraft Micromanagement/ 1471

Yue Hu, Juntao Li, Xi Li, Gang Pan, Mingliang Xu

Approximation Guarantees of Stochastic Greedy Algorithms for Subset Selection/ 1478

Chao Qian, Yang Yu, Ke Tang

Sequence Selection by Pareto Optimization/ **1485**

Chao Qian, Chao Feng, Ke Tang

Distributed Pareto Optimization for Subset Selection/ **1492**

Chao Qian, Guiying Li, Chao Feng, Ke Tang

Meta-Level Control of Anytime Algorithms with Online Performance Prediction/ **1499**

Justin Svegliato, Kyle Hollins Wray, Shlomo Zilberstein

Understanding Subgoal Graphs by Augmenting Contraction Hierarchies/ **1506**

Tansel Uras, Sven Koenig

A Fast Local Search Algorithm for Minimum Weight Dominating Set Problem on Massive Graphs/ **1514**

Yiyuan Wang, Shaowei Cai, Jiejiang Chen, Minghao Yin

Master-Slave Curriculum Design for Reinforcement Learning/ **1523**

Yuechen Wu, Wei Zhang, Ke Song

Humans and AI

On the Cost Complexity of Crowdsourcing/ **1531**

Yili Fang, Hailong Sun, Pengpeng Chen, Jinpeng Huai

A Novel Strategy for Active Task Assignment in Crowd Labeling/ **1538**

Zehong Hu, Jie Zhang

Deep Learning Based Multi-modal Addressee Recognition in Visual Scenes with Utterances/ **1546**

Thao Le Minh, Nobuyuki Shimizu, Takashi Miyazaki, Koichi Shinoda

Simultaneous Clustering and Ranking from Pairwise Comparisons/ **1554**

Jiyi Li, Yukino Baba, Hisashi Kashima

A Novel Neural Network Model based on Cerebral Hemispheric Asymmetry for EEG Emotion Recognition/ **1561**

Yang Li, Wenming Zheng, Zhen Cui, Tong Zhang, Yuan Zong

On the Efficiency of Data Collection for Crowdsourced Classification/ **1568**

Edoardo Manino, Long Tran-Thanh, Nicholas R. Jennings

Similarity-Based Reasoning, Raven's Matrices, and General Intelligence/ **1576**

Can Serif Mekik, Ron Sun, David Yun Dai

NPE: Neural Personalized Embedding for Collaborative Filtering/ **1583**

ThaiBinh Nguyen, Atsuhiko Takasu

Algorithms for Fair Load Shedding in Developing Countries/ **1590**

Olabambo I. Oluwasuji, Obaid Malik, Jie Zhang, Sarvapali D. Ramchurn

Jointly Learning Network Connections and Link Weights in Spiking Neural Networks/ **1597**

Yu Qi, Jiangrong Shen, Yueming Wang, Huajin Tang, Hang Yu, Zhaohui Wu, Gang Pan

A Simple Convolutional Neural Network for Accurate P300 Detection and Character Spelling in Brain Computer Interface/
1604

Hongchang Shan, Yu Liu, Todor Stefanov

Cross-Domain Depression Detection via Harvesting Social Media/ **1611**

Tiancheng Shen, Jia Jia, Guangyao Shen, Fuli Feng, Xiangnan He, Huanbo Luan, Jie Tang, Thanassis Tiropanis, Tat-Seng Chua, Wendy Hall

Synthesizing Pattern Programs from Examples/ **1618**

Sunbeom So, Hakjoo Oh

Learning Sequential Correlation for User Generated Textual Content Popularity Prediction/ **1625**

Wen Wang, Wei Zhang, Jun Wang, Junchi Yan, Hongyuan Zha

Neural Framework for Joint Evolution Modeling of User Feedback and Social Links in Dynamic Social Networks/ **1632**

Peizhi Wu, Yi Tu, Xiaojie Yuan, Adam Jatowt, Zhenglu Yang

Memory Attention Networks for Skeleton-based Action Recognition/ **1639**

Chunyu Xie, Ce Li, Baochang Zhang, Chen Chen, Jungong Han, Jianzhuang Liu

CSNN: An Augmented Spiking based Framework with Perceptron-Inception/ **1646**

Qi Xu, Yu Qi, Hang Yu, Jiangrong Shen, Huajin Tang, Gang Pan

Brain-inspired Balanced Tuning for Spiking Neural Networks/ **1653**

Tielin Zhang, Yi Zeng, Dongcheng Zhao, Bo Xu

Personality-Aware Personalized Emotion Recognition from Physiological Signals/ **1660**

Sicheng Zhao, Guiguang Ding, Jungong Han, Yue Gao

Knowledge Representation and Reasoning

Query Answering in Propositional Circumscription/ **1669**

Mario Alviano

Enhancing Existential Rules by Closed-World Variables/ **1676**

Giovanni Amendola, Nicola Leone, Marco Manna, Pierfrancesco Veltri

Explainable Certain Answers/ **1683**

Giovanni Amendola, Leonid Libkin

Compiling Model Representations for Querying Large ABoxes in Expressive DLs/ **1691**

Labinot Bajraktari, Magdalena Ortiz, Mantas Simkus

Abstraction of Agents Executing Online and their Abilities in the Situation Calculus/ **1699**

Bitu Banihashemi, Giuseppe De Giacomo, Yves Lespérance

First-Order Rewritability of Frontier-Guarded Ontology-Mediated Queries/ **1707**

Pablo Barceló, Gerald Berger, Carsten Lutz, Andreas Pieris

Single-Shot Epistemic Logic Program Solving/ **1714**

Manuel Bichler, Michael Morak, Stefan Woltran

Inconsistency-Tolerant Ontology-Based Data Access Revisited: Taking Mappings into Account/ **1721**

Meghyn Bienvenu

Actual Causality in a Logical Setting/ **1730**

Alexander Bochman

- Exploiting Justifications for Lazy Grounding of Answer Set Programs/ **1737**
Bart Bogaerts, Antonius Weinzierl
- Fast Compliance Checking in an OWL2 Fragment/ **1746**
Piero A. Bonatti
- Relevance in Structured Argumentation/ **1753**
AnneMarie Borg, Christian Straßer
- Learning Conceptual Space Representations of Interrelated Concepts/ **1760**
Zied Bouraoui, Steven Schockaert
- Embracing Change by Abstraction Materialization Maintenance for Large ABoxes/ **1767**
Markus Brenner, Birte Glimm
- The Complexity of Limited Belief Reasoning—The Quantifier-Free Case/ **1774**
Yijia Chen, Abdallah Saffidine, Christoph Schwering
- Belief Update in the Horn Fragment/ **1781**
Nadia Creignou, Adrian Haret, Odile Papini, Stefan Woltran
- A Study of Argumentative Characterisations of Preferred Subtheories/ **1788**
Marcello D'Agostino, Sanjay Modgil
- Game Description Language and Dynamic Epistemic Logic Compared/ **1795**
Thorsten Engesser, Robert Mattmüller, Bernhard Nebel, Michael Thielscher
- Probabilistic bipolar abstract argumentation frameworks: complexity results/ **1803**
Bettina Fazzinga, Sergio Flesca, Filippo Furfaro
- From Conjunctive Queries to Instance Queries in Ontology-Mediated Querying/ **1810**
Cristina Feier, Carsten Lutz, Frank Wolter
- An Empirical Study of Knowledge Tradeoffs in Case-Based Reasoning/ **1817**
Devi Ganesan, Sutanu Chakraborti
- Possibilistic ASP Base Revision by Certain Input/ **1824**
Laurent Garcia, Claire Lefèvre, Odile Papini, Igor Stéphan, Eric Würbel
- Finite Model Reasoning in Hybrid Classes of Existential Rules/ **1831**
Georg Gottlob, Marco Manna, Andreas Pieris
- Computing Approximate Query Answers over Inconsistent Knowledge Bases/ **1838**
Sergio Greco, Cristian Molinaro, Irina Trubitsyna
- Reverse Engineering Queries in Ontology-Enriched Systems: The Case of Expressive Horn Description Logic Ontologies/ **1847**
Víctor Gutiérrez-Basulto, Jean Christoph Jung, Leif Sabellek
- Two Sides of the Same Coin: Belief Revision and Enforcing Arguments/ **1854**
Adrian Haret, Johannes P. Wallner, Stefan Woltran
- Horn-Rewritability vs PTime Query Evaluation in Ontology-Mediated Querying/ **1861**
Andre Hernich, Carsten Lutz, Fabio Papacchini, Frank Wolter

On the Conditional Logic of Simulation Models/ **1868**

Duligur Ibeling, Thomas Icard

Stratified Negation in Limit Datalog Programs/ **1875**

Mark Kaminski, Bernardo Cuenca Grau, Egor V. Kostylev, Boris Motik, Ian Horrocks

Counterfactual Resimulation for Causal Analysis of Rule-Based Models/ **1882**

Jonathan Laurent, Jean Yang, Walter Fontana

Pseudo-Boolean Constraints from a Knowledge Representation Perspective/ **1891**

Daniel Le Berre, Pierre Marquis, Stefan Mengel, Romain Wallon

An Efficient Algorithm To Compute Distance Between Lexicographic Preference Trees/ **1898**

Minyi Li, Borhan Kazimipour

Novel Algorithms for Abstract Dialectical Frameworks based on Complexity Analysis of Subclasses and SAT Solving/ **1905**

Thomas Linsbichler, Marco Maratea, Andreas Niskanen, Johannes P. Wallner, Stefan Woltran

Multi-agent Epistemic Planning with Common Knowledge/ **1912**

Qiang Liu, Yongmei Liu

Complexity of Approximate Query Answering under Inconsistency in Datalog+/-/ **1921**

Thomas Lukasiewicz, Enrico Malizia, Cristian Molinaro

Incrementally Grounding Expressions for Spatial Relations between Objects/ **1928**

Tiago Mota, Mohan Sridharan

Leveraging Qualitative Reasoning to Improve SFL/ **1935**

Alexandre Perez, Rui Abreu

Two Approaches to Ontology Aggregation Based on Axiom Weakening/ **1942**

Daniele Porello, Nicolas Troquard, Rafael Peñaloza, Roberto Confalonieri, Pietro Galliani, Oliver Kutz

Argumentation-Based Recommendations: Fantastic Explanations and How to Find Them/ **1949**

Antonio Rago, Oana Cocarascu, Francesca Toni

Abducting Relations in Continuous Spaces/ **1956**

Taisuke Sato, Katsumi Inoue, Chiaki Sakama

Reasoning about Betweenness and RCC8 Constraints in Qualitative Conceptual Spaces/ **1963**

Steven Schockaert, Sanjiang Li

Consequence-based Reasoning for Description Logics with Disjunction, Inverse Roles, Number Restrictions, and Nominals/ **1970**

David Tena Cucala, Bernardo Cuenca Grau, Ian Horrocks

Inconsistency Measures for Repair Semantics in OBDA/ **1977**

Bruno Yun, Srdjan Vesic, Madalina Croitoru, Pierre Bisquert

On Concept Forgetting in Description Logics with Qualified Number Restrictions/ **1984**

Yizheng Zhao, Renate Schmidt

Machine Learning

Finding Frequent Entities in Continuous Data/ **1992**
Ferran Alet, Rohan Chitnis, Leslie P. Kaelbling, Tomas Lozano-Perez

Small-Variance Asymptotics for Nonparametric Bayesian Overlapping Stochastic Blockmodels/ **2000**
Gundeep Arora, Anupreet Porwal, Kanupriya Agarwal, Avani Samdariya, Piyush Rai

Convolutional Neural Networks based Click-Through Rate Prediction with Multiple Feature Sequences/ **2007**
Patrick P. K. Chan, Xian Hu, Lili Zhao, Daniel S. Yeung, Dapeng Liu, Lei Xiao

Tri-net for Semi-Supervised Deep Learning/ **2014**
Dong-Dong Chen, Wei Wang, Wei Gao, Zhi-Hua Zhou

Adversarial Metric Learning/ **2021**
Shuo Chen, Chen Gong, Jian Yang, Xiang Li, Yang Wei, Jun Li

Distributed Primal-Dual Optimization for Non-uniformly Distributed Data/ **2028**
Minhao Cheng, Cho-Jui Hsieh

Solving Separable Nonsmooth Problems Using Frank-Wolfe with Uniform Affine Approximations/ **2035**
Edward Cheung, Yuying Li

Causal Inference in Time Series via Supervised Learning/ **2042**
Yoichi Chikahara, Akinori Fujino

Unifying and Merging Well-trained Deep Neural Networks for Inference Stage/ **2049**
Yi-Min Chou, Yi-Ming Chan, Jia-Hong Lee, Chih-Yi Chiu, Chu-Song Chen

Behavior of Analogical Inference w.r.t. Boolean Functions/ **2057**
Miguel Couceiro, Nicolas Hug, Henri Prade, Gilles Richard

Adaptive Collaborative Similarity Learning for Unsupervised Multi-view Feature Selection/ **2064**
Xiao Dong, Lei Zhu, Xuemeng Song, Jingjing Li, Zhiyong Cheng

Counterexample-Guided Data Augmentation/ **2071**
Tommaso Dreossi, Shromona Ghosh, Xiangyu Yue, Kurt Keutzer, Alberto Sangiovanni-Vincentelli, Sanjit A. Seshia

Galaxy Network Embedding: A Hierarchical Community Structure Preserving Approach/ **2079**
Lun Du, Zhicong Lu, Yun Wang, Guojie Song, Yiming Wang, Wei Chen

Dynamic Network Embedding : An Extended Approach for Skip-gram based Network Embedding/ **2086**
Lun Du, Yun Wang, Guojie Song, Zhicong Lu, Junshan Wang

Quantum Divide-and-Conquer Anchoring for Separable Non-negative Matrix Factorization/ **2093**
Yuxuan Du, Tongliang Liu, Yinan Li, Runyao Duan, Dacheng Tao

A Novel Data Representation for Effective Learning in Class Imbalanced Scenarios/ **2100**
Sri Harsha Dumpala, Rupayan Chakraborty, Sunil Kumar Kopparapu

Leveraging Latent Label Distributions for Partial Label Learning/ **2107**
Lei Feng, Bo An

Complementary Binary Quantization for Joint Multiple Indexing/ **2114**
Qiang Fu, Xu Han, Xianglong Liu, Jingkuan Song, Cheng Deng

- Joint Generative Moment-Matching Network for Learning Structural Latent Code/ **2121**
Hongchang Gao, Heng Huang
- Stochastic Second-Order Method for Large-Scale Nonconvex Sparse Learning Models/ **2128**
Hongchang Gao, Heng Huang
- Cuckoo Feature Hashing: Dynamic Weight Sharing for Sparse Analytics/ **2135**
Jinyang Gao, Beng Chin Ooi, Yanyan Shen, Wang-Chien Lee
- Active Discriminative Network Representation Learning/ **2142**
Li Gao, Hong Yang, Chuan Zhou, Jia Wu, Shirui Pan, Yue Hu
- Scalable Rule Learning via Learning Representation/ **2149**
Pouya Ghiasnezhad Omran, Kewen Wang, Zhe Wang
- Teaching Semi-Supervised Classifier via Generalized Distillation/ **2156**
Chen Gong, Xiaojun Chang, Meng Fang, Jian Yang
- Faster Training Algorithms for Structured Sparsity-Inducing Norm/ **2163**
Bin Gu, Xingwang Ju, Xiang Li, Guansheng Zheng
- Accelerated Asynchronous Greedy Coordinate Descent Algorithm for SVMs/ **2170**
Bin Gu, Yingying Shan, Xiang Geng, Guansheng Zheng
- Regularizing Deep Neural Networks with an Ensemble-based Decorrelation Method/ **2177**
Shuqin Gu, Yuexian Hou, Lipeng Zhang, Yazhou Zhang
- Energy-efficient Amortized Inference with Cascaded Deep Classifiers/ **2184**
Jiaqi Guan, Yang Liu, Qiang Liu, Jian Peng
- INITIATOR: Noise-contrastive Estimation for Marked Temporal Point Process/ **2191**
Ruocheng Guo, Jundong Li, Huan Liu
- Experimental Design under the Bradley-Terry Model/ **2198**
Yuan Guo, Peng Tian, Jayashree Kalpathy-Cramer, Susan Ostmo, J.Peter Campbell, Michael F.Chiang, Deniz Erdogmus, Jennifer Dy, Stratis Ioannidis
- Replicating Active Appearance Model by Generator Network/ **2205**
Tian Han, Jiawen Wu, Ying Nian Wu
- MIXGAN: Learning Concepts from Different Domains for Mixture Generation/ **2212**
Guang-Yuan Hao, Hong-Xing Yu, Wei-Shi Zheng
- Differential Equations for Modeling Asynchronous Algorithms/ **2220**
Li He, Qi Meng, Wei Chen, Zhi-Ming Ma, Tie-Yan Liu
- Outer Product-based Neural Collaborative Filtering/ **2227**
Xiangnan He, Xiaoyu Du, Xiang Wang, Feng Tian, Jinhui Tang, Tat-Seng Chua
- Soft Filter Pruning for Accelerating Deep Convolutional Neural Networks/ **2234**
Yang He, Guoliang Kang, Xuanyi Dong, Yanwei Fu, Yi Yang
- Time-evolving Text Classification with Deep Neural Networks/ **2241**
Yu He, Jianxin Li, Yangqiu Song, Mutian He, Hao Peng

- Preventing Disparate Treatment in Sequential Decision Making/ **2248**
Hoda Heidari, Andreas Krause
- Generative Adversarial Positive-Unlabelled Learning/ **2255**
Ming Hou, Brahim Chaib-draa, Chao Li, Qibin Zhao
- Doubly Aligned Incomplete Multi-view Clustering/ **2262**
Menglei Hu, Songcan Chen
- Summarizing Source Code with Transferred API Knowledge/ **2269**
Xing Hu, Ge Li, Xin Xia, David Lo, Shuai Lu, Zhi Jin
- Experienced Optimization with Reusable Directional Model for Hyper-Parameter Search/ **2276**
Yi-Qi Hu, Yang Yu, Zhi-Hua Zhou
- A Normalized Convolutional Neural Network for Guided Sparse Depth Upsampling/ **2283**
Jiashen Hua, Xiaojin Gong
- Combinatorial Pure Exploration with Continuous and Separable Reward Functions and Its Applications/ **2291**
Weiran Huang, Jungseul Ok, Liang Li, Wei Chen
- Efficient DNN Neuron Pruning by Minimizing Layer-wise Nonlinear Reconstruction Error/ **2298**
Chunhui Jiang, Guiying Li, Chao Qian, Ke Tang
- Automatic Gating of Attributes in Deep Structure/ **2305**
Xiaoming Jin, Tao He, Cheng Wan, Lan Yi, Guiguang Ding, Dou Shen
- Self-weighted Multiple Kernel Learning for Graph-based Clustering and Semi-supervised Classification/ **2312**
Zhao Kang, Xiao Lu, Jinfeng Yi, Zenglin Xu
- Network Approximation using Tensor Sketching/ **2319**
Shiva Prasad Kasiviswanathan, Nina Narodytska, Hongxia Jin
- Temporal Belief Memory: Imputing Missing Data during RNN Training/ **2326**
Yeo Jin Kim, Min Chi
- Learning SMT(LRA) Constraints using SMT Solvers/ **2333**
Samuel Kolb, Stefano Teso, Andrea Passerini, Luc De Raedt
- HST-LSTM: A Hierarchical Spatial-Temporal Long-Short Term Memory Network for Location Prediction/ **2341**
Dejiang Kong, Fei Wu
- A Property Testing Framework for the Theoretical Expressivity of Graph Kernels/ **2348**
Nils M. Kriege, Christopher Morris, Anja Rey, Christian Sohler
- Geometric Enclosing Networks/ **2355**
Trung Le, Hung Vu, Tu Dinh Nguyen, Dinh Phung
- Open Loop Execution of Tree-Search Algorithms/ **2362**
Erwan Lecarpentier, Guillaume Infantes, Charles Lesire, Emmanuel Rachelson
- Z-Transforms and its Inference on Partially Observable Point Processes/ **2369**
Young Lee, Thanh Vinh Vo, Kar Wai Lim, Harold Soh

- Generalization Bounds for Regularized Pairwise Learning/ **2376**
Yunwen Lei, Shao-Bo Lin, Ke Tang
- Optimization based Layer-wise Magnitude-based Pruning for DNN Compression/ **2383**
Guiying Li, Chao Qian, Chunhui Jiang, Xiaofen Lu, Ke Tang
- Finite Sample Analysis of LSTD with Random Projections and Eligibility Traces/ **2390**
Haifang Li, Yingce Xia, Wensheng Zhang
- Deep Joint Semantic-Embedding Hashing/ **2397**
Ning Li, Chao Li, Cheng Deng, Xianglong Liu, Xinbo Gao
- Variance Reduction in Black-box Variational Inference by Adaptive Importance Sampling/ **2404**
Ximing Li, Changchun Li, Jinjin Chi, Jihong Ouyang
- R-SVM+: Robust Learning with Privileged Information/ **2411**
Xue Li, Bo Du, Chang Xu, Yipeng Zhang, Lefei Zhang, Dacheng Tao
- Unsupervised Disentangled Representation Learning with Analogical Relations/ **2418**
Zejian Li, Yongchuan Tang, Yongxing He
- Accelerating Convolutional Networks via Global & Dynamic Filter Pruning/ **2425**
Shaohui Lin, Rongrong Ji, Yuchao Li, Yongjian Wu, Feiyue Huang, Baochang Zhang
- Episodic Memory Deep Q-Networks/ **2433**
Zichuan Lin, Tianqi Zhao, Guangwen Yang, Lintao Zhang
- UCBoost: A Boosting Approach to Tame Complexity and Optimality for Stochastic Bandits/ **2440**
Fang Liu, Sinong Wang, Swapna Buccapatnam, Ness Shroff
- Structured Inference for Recurrent Hidden Semi-markov Model/ **2447**
Hao Liu, Lirong He, Haoli Bai, Bo Dai, Kun Bai, Zenglin Xu
- High-Order Co-Clustering via Strictly Orthogonal and Symmetric L1-Norm Nonnegative Matrix Tri-Factorization/ **2454**
Kai Liu, Hua Wang
- Contextual Outlier Interpretation/ **2461**
Ninghao Liu, Donghwa Shin, Xia Hu
- Toward Designing Convergent Deep Operator Splitting Methods for Task-specific Nonconvex Optimization/ **2468**
Risheng Liu, Shichao Cheng, Yi He, Xin Fan, Zhongxuan Luo
- Exploiting Graph Regularized Multi-dimensional Hawkes Processes for Modeling Events with Spatio-temporal Characteristics/ **2475**
Yanchi Liu, Tan Yan, Haifeng Chen
- Learning with Adaptive Neighbors for Image Clustering/ **2483**
Yang Liu, Quanxue Gao, Zhaohua Yang, Shujian Wang
- Zero Shot Learning via Low-rank Embedded Semantic AutoEncoder/ **2490**
Yang Liu, Quanxue Gao, Jin Li, Jungong Han, Ling Shao
- Fast Cross-Validation/ **2497**

Yong Liu, Hailun Lin, Lizhong Ding, Weiping Wang, Shizhong Liao

Exact Low Tubal Rank Tensor Recovery from Gaussian Measurements/ **2504**

Canyi Lu, Jiashi Feng, Zhouchen Lin, Shuicheng Yan

AAR-CNNs: Auto Adaptive Regularized Convolutional Neural Networks/ **2511**

Yao Lu, Guangming Lu, Yuanrong Xu, Bob Zhang

SDMCH: Supervised Discrete Manifold-Embedded Cross-Modal Hashing/ **2518**

Xin Luo, Xiao-Ya Yin, Liqiang Nie, Xuemeng Song, Yongxin Wang, Xin-Shun Xu

Online Heterogeneous Transfer Metric Learning/ **2525**

Yong Luo, Tongliang Liu, Yonggang Wen, Dacheng Tao

Hierarchical Active Learning with Group Proportion Feedback/ **2532**

Zhipeng Luo, Milos Hauskrecht

Self-Representative Manifold Concept Factorization with Adaptive Neighbors for Clustering/ **2539**

Sihan Ma, Lefei Zhang, Wenbin Hu, Yipeng Zhang, Jia Wu, Xuelong Li

On Q-learning Convergence for Non-Markov Decision Processes/ **2546**

Sultan Javed Majeed, Marcus Hutter

Unpaired Multi-Domain Image Generation via Regularized Conditional GANs/ **2553**

Xudong Mao, Qing Li

Spectral Feature Scaling Method for Supervised Dimensionality Reduction/ **2560**

Momo Matsuda, Keiichi Morikuni, Tetsuya Sakurai

Interactive Optimal Teaching with Unknown Learners/ **2567**

Francisco S. Melo, Carla Guerra, Manuel Lopes

Neural Machine Translation with Key-Value Memory-Augmented Attention/ **2574**

Fandong Meng, Zhaopeng Tu, Yong Cheng, Haiyang Wu, Junjie Zhai, Yuekui Yang, Di Wang

An Information Theory based Approach to Multisource Clustering/ **2581**

Pierre-Alexandre Murena, Jérémie Sublime, Basarab Matei, Antoine Cornuéjols

CAGAN: Consistent Adversarial Training Enhanced GANs/ **2588**

Yao Ni, Dandan Song, Xi Zhang, Hao Wu, Lejian Liao

A Degeneracy Framework for Graph Similarity/ **2595**

Giannis Nikolentzos, Polykarpos Meladianos, Stratis Limnios, Michalis Vazirgiannis

Multinomial Logit Bandit with Linear Utility Functions/ **2602**

Mingdong Ou, Nan Li, Shenghuo Zhu, Rong Jin

Adversarially Regularized Graph Autoencoder for Graph Embedding/ **2609**

Shirui Pan, Ruiqi Hu, Guodong Long, Jing Jiang, Lina Yao, Chengqi Zhang

Generalization-Aware Structured Regression towards Balancing Bias and Variance/ **2616**

Martin Pavlovski, Fang Zhou, Nino Arsov, Ljupco Kocarev, Zoran Obradovic

Label Embedding Based on Multi-Scale Locality Preservation/ **2623**

Cheng-Lun Peng, An Tao, Xin Geng

Cross-modal Bidirectional Translation via Reinforcement Learning/ **2630**

Jinwei Qi, Yuxin Peng

Adversarial Constraint Learning for Structured Prediction/ **2637**

Hongyu Ren, Russell Stewart, Jiaming Song, Volodymyr Kuleshov, Stefano Ermon

Robust Auto-Weighted Multi-View Clustering/ **2644**

Pengzhen Ren, Yun Xiao, Pengfei Xu, Jun Guo, Xiaojiang Chen, Xin Wang, Dingyi Fang

Reachability Analysis of Deep Neural Networks with Provable Guarantees/ **2651**

Wenjie Ruan, Xiaowei Huang, Marta Kwiatkowska

Online Deep Learning: Learning Deep Neural Networks on the Fly/ **2660**

Doyen Sahoo, Quang Pham, Jing Lu, Steven C. H. Hoi

A Bayesian Latent Variable Model of User Preferences with Item Context/ **2667**

Aghiles Salah, Hady W. Lauw

Deep Discrete Prototype Multilabel Learning/ **2675**

Xiaobo Shen, Weiwei Liu, Yong Luo, Yew-Soon Ong, Ivor W. Tsang

Refine or Represent: Residual Networks with Explicit Channel-wise Configuration/ **2682**

Yanyan Shen, Jinyang Gao

Positive and Unlabeled Learning via Loss Decomposition and Centroid Estimation/ **2689**

Hong Shi, Shaojun Pan, Jian Yang, Chen Gong

Student-t Variational Autoencoder for Robust Density Estimation/ **2696**

Hiroshi Takahashi, Tomoharu Iwata, Yuki Yamanaka, Masanori Yamada, Satoshi Yagi

Incomplete Multi-View Weak-Label Learning/ **2703**

Qiaoyu Tan, Guoxian Yu, Carlotta Domeniconi, Jun Wang, Zili Zhang

Exploration by Distributional Reinforcement Learning/ **2710**

Yunhao Tang, Shipra Agrawal

Algorithms or Actions? A Study in Large-Scale Reinforcement Learning/ **2717**

Anderson Rocha Tavares, Sivasubramanian Anbalagan, Leandro Soriano Marcolino, Luiz Chaimowicz

Deep into Hypersphere: Robust and Unsupervised Anomaly Discovery in Dynamic Networks/ **2724**

Xian Teng, Muheng Yan, Ali Mert Ertugrul, Yu-Ru Lin

Differentiable Submodular Maximization/ **2731**

Sebastian Tschatschek, Aytunc Sahin, Andreas Krause

Deterministic Binary Filters for Convolutional Neural Networks/ **2739**

Vincent W.-S. Tseng, Sourav Bhattacharya, Javier Fernández Marqués, Milad Alizadeh, Catherine Tong, Nicholas D. Lane

Efficient Adaptive Online Learning via Frequent Directions/ **2748**

Yuanyu Wan, Nan Wei, Lijun Zhang

Cascaded Low Rank and Sparse Representation on Grassmann Manifolds/ **2755**

Boyue Wang, Yongli Hu, Junbin Gao, Yanfeng Sun, Baocai Yin

Minimizing Adaptive Regret with One Gradient per Iteration/ **2762**

Guanghui Wang, Dakuan Zhao, Lijun Zhang

Progressive Blockwise Knowledge Distillation for Neural Network Acceleration/ **2769**

Hui Wang, Hanbin Zhao, Xi Li, Xu Tan

Ranking Preserving Nonnegative Matrix Factorization/ **2776**

Jing Wang, Feng Tian, Weiwei Liu, Xiao Wang, Wenjie Zhang, Kenji Yamanishi

Binary Coding based Label Distribution Learning/ **2783**

Ke Wang, Xin Geng

Convolutional Memory Blocks for Depth Data Representation Learning/ **2790**

Keze Wang, Liang Lin, Chuangjie Ren, Wei Zhang, Wenxiu Sun

Adaptive Graph Guided Embedding for Multi-label Annotation/ **2798**

Lichen Wang, Zhengming Ding, Yun Fu

Iterative Metric Learning for Imbalance Data Classification/ **2805**

Nan Wang, Xibin Zhao, Yu Jiang, Yue Gao

Feature Hashing for Network Representation Learning/ **2812**

Qixiang Wang, Shanfeng Wang, Maoguo Gong, Yue Wu

Mixed Link Networks/ **2819**

Wenhai Wang, Xiang Li, Tong Lu, Jian Yang

New Balanced Active Learning Model and Optimization Algorithm/ **2826**

Xiaoqian Wang, Yijun Huang, Ji Liu, Heng Huang

Fast Factorization-free Kernel Learning for Unlabeled Chunk Data Streams/ **2833**

Yi Wang, Nan Xue, Xin Fan, Jiebo Luo, Risheng Liu, Bin Chen, Haojie Li, Zhongxuan Luo

Positive and Unlabeled Learning for Detecting Software Functional Clones with Adversarial Training/ **2840**

Hui-Hui Wei, Ming Li

Does Tail Label Help for Large-Scale Multi-Label Learning/ **2847**

Tong Wei, Yu-Feng Li

Unsupervised Deep Hashing via Binary Latent Factor Models for Large-scale Cross-modal Retrieval/ **2854**

Gengshen Wu, Zijia Lin, Jungong Han, Li Liu, Guiguang Ding, Baochang Zhang, Jialie Shen

Efficient Attributed Network Embedding via Recursive Randomized Hashing/ **2861**

Wei Wu, Bin Li, Ling Chen, Chengqi Zhang

Towards Enabling Binary Decomposition for Partial Label Learning/ **2868**

Xuan Wu, Min-Ling Zhang

Cutting the Software Building Efforts in Continuous Integration by Semi-Supervised Online AUC Optimization/ **2875**

Zheng Xie, Ming Li

Multi-Label Co-Training/ **2882**

Yuying Xing, Guoxian Yu, Carlotta Domeniconi, Jun Wang, Zili Zhang

De-biasing Covariance-Regularized Discriminant Analysis/ **2889**
Haoyi Xiong, Wei Cheng, Yanjie Fu, Wenqing Hu, Jiang Bian, Zhishan Guo

Deep Multi-View Concept Learning/ **2898**
Cai Xu, Ziyu Guan, Wei Zhao, Yunfei Niu, Quan Wang, Zhiheng Wang

Online Continuous-Time Tensor Factorization Based on Pairwise Interactive Point Processes/ **2905**
Hongteng Xu, Dixin Luo, Lawrence Carin

MUSCAT: Multi-Scale Spatio-Temporal Learning with Application to Climate Modeling/ **2912**
Jianpeng Xu, Xi Liu, Tyler Wilson, Pang-Ning Tan, Pouyan Hatami, Lifeng Luo

Multi-Level Metric Learning via Smoothed Wasserstein Distance/ **2919**
Jie Xu, Lei Luo, Cheng Deng, Heng Huang

Label Enhancement for Label Distribution Learning/ **2926**
Ning Xu, An Tao, Xin Geng

Convergence Analysis of Gradient Descent for Eigenvector Computation/ **2933**
Zhiqiang Xu, Xin Cao, Xin Gao

PredCNN: Predictive Learning with Cascade Convolutions/ **2940**
Ziru Xu, Yunbo Wang, Mingsheng Long, Jianmin Wang

Improving Maximum Likelihood Estimation of Temporal Point Process via Discriminative and Adversarial Learning/ **2948**
Junchi Yan, Xin Liu, Liangliang Shi, Changsheng Li, Hongyuan Zha

A Unified Analysis of Stochastic Momentum Methods for Deep Learning/ **2955**
Yan Yan, Tianbao Yang, Zhe Li, Qihang Lin, Yi Yang

Cost-Effective Active Learning for Hierarchical Multi-Label Classification/ **2962**
Yi-Fan Yan, Sheng-Jun Huang

Semi-Supervised Optimal Transport for Heterogeneous Domain Adaptation/ **2969**
Yuguang Yan, Wen Li, Hanrui Wu, Huaqing Min, Mingkui Tan, Qingyao Wu

Spatio-Temporal Check-in Time Prediction with Recurrent Neural Network based Survival Analysis/ **2976**
Guolei Yang, Ying Cai, Chandan K Reddy

A Unified Approach for Multi-step Temporal-Difference Learning with Eligibility Traces in Reinforcement Learning/ **2984**
Long Yang, Minhao Shi, Qian Zheng, Wenjia Meng, Gang Pan

Bandit Online Learning on Graphs via Adaptive Optimization/ **2991**
Peng Yang, Peilin Zhao, Xin Gao

Semi-Supervised Multi-Modal Learning with Incomplete Modalities/ **2998**
Yang Yang, De-Chuan Zhan, Xiang-Rong Sheng, Yuan Jiang

High-dimensional Similarity Learning via Dual-sparse Random Projection/ **3005**
Dezhong Yao, Peilin Zhao, Tuan-Anh Nguyen Pham, Gao Cong

Distance Metric Facilitated Transportation between Heterogeneous Domains/ **3012**

Han-Jia Ye, Xiang-Rong Sheng, De-Chuan Zhan, Peng He

Stochastic Fractional Hamiltonian Monte Carlo/ **3019**

Nanyang Ye, Zhanxing Zhu

Hashing over Predicted Future Frames for Informed Exploration of Deep Reinforcement Learning/ **3026**

Haiyan Yin, Jianda Chen, Sinno Jialin Pan

Request-and-Reverify: Hierarchical Hypothesis Testing for Concept Drift Detection with Expensive Labels/ **3033**

Shujian Yu, Xiaoyang Wang, José C. Príncipe

A Generic Approach for Accelerating Stochastic Zeroth-Order Convex Optimization/ **3040**

Xiaotian Yu, Irwin King, Michael R. Lyu, Tianbao Yang

Mixture of GANs for Clustering/ **3047**

Yang Yu, Wen-Ji Zhou

FISH-MML: Fisher-HSIC Multi-View Metric Learning/ **3054**

Changqing Zhang, Yeqing Liu, Yue Liu, Qinghua Hu, Xinwang Liu, Pengfei Zhu

Learning Environmental Calibration Actions for Policy Self-Evolution/ **3061**

Chao Zhang, Yang Yu, Zhi-Hua Zhou

Learning to Design Games: Strategic Environments in Reinforcement Learning/ **3068**

Haifeng Zhang, Jun Wang, Zhiming Zhou, Weinan Zhang, Yin Wen, Yong Yu, Wenxin Li

Generative Warfare Nets: Ensemble via Adversaries and Collaborators/ **3075**

Honglun Zhang, Liqiang Xiao, Wenqing Chen, Yongkun Wang, Yaohui Jin

Scalable Multiplex Network Embedding/ **3082**

Hongming Zhang, Liwei Qiu, Lingling Yi, Yangqiu Song

Dynamically Hierarchy Revolution: DirNet for Compressing Recurrent Neural Network on Mobile Devices/ **3089**

Jie Zhang, Xiaolong Wang, Dawei Li, Yalin Wang

Achieving Non-Discrimination in Prediction/ **3097**

Lu Zhang, Yongkai Wu, Xintao Wu

Semi-Supervised Optimal Margin Distribution Machines/ **3104**

Teng Zhang, Zhi-Hua Zhou

Multi-modality Sensor Data Classification with Selective Attention/ **3111**

Xiang Zhang, Lina Yao, Chaoran Huang, Sen Wang, Mingkui Tan, Guodong Long, Can Wang

Online Kernel Selection via Incremental Sketched Kernel Alignment/ **3118**

Xiao Zhang, Shizhong Liao

Label-Sensitive Task Grouping by Bayesian Nonparametric Approach for Multi-Task Multi-Label Learning/ **3125**

Xiao Zhang, Wenzhong Li, Vu Nguyen, Fuzhen Zhuang, Hui Xiong, Sanglu Lu

Multi-Task Clustering with Model Relation Learning/ **3132**

Xiaotong Zhang, Xianchao Zhang, Han Liu, Jiebo Luo

Self-Supervised Deep Low-Rank Assignment Model for Prototype Selection/ **3141**

Xingxing Zhang, Zhenfeng Zhu, Yao Zhao, Deqiang Kong

Distributed Self-Paced Learning in Alternating Direction Method of Multipliers/ **3148**

Xuchao Zhang, Liang Zhao, Zhiqian Chen, Chang-Tien Lu

ANRL: Attributed Network Representation Learning via Deep Neural Networks/ **3155**

Zhen Zhang, Hongxia Yang, Jiajun Bu, Sheng Zhou, Pinggang Yu, Jianwei Zhang, Martin Ester, Can Wang

Dynamic Hypergraph Structure Learning/ **3162**

Zizhao Zhang, Haojie Lin, Yue Gao

Deep Convolutional Neural Networks with Merge-and-Run Mappings/ **3170**

Liming Zhao, Mingjie Li, Depu Meng, Xi Li, Zhaoxiang Zhang, Yueting Zhuang, Zhuowen Tu, Jingdong Wang

Grouping Attribute Recognition for Pedestrian with Joint Recurrent Learning/ **3177**

Xin Zhao, Liufang Sang, Guiguang Ding, Yuchen Guo, Xiaoming Jin

Attentional Image Retweet Modeling via Multi-Faceted Ranking Network Learning/ **3184**

Zhou Zhao, Lingtao Meng, Jun Xiao, Min Yang, Fei Wu, Deng Cai, Xiaofei He, Yueting Zhuang

Robust Feature Selection on Incomplete Data/ **3191**

Wei Zheng, Xiaofeng Zhu, Yonghua Zhu, Shichao Zhang

Self-Adaptive Double Bootstrapped DDPG/ **3198**

Zhuobin Zheng, Chun Yuan, Zhihui Lin, Yangyang Cheng, Hanghao Wu

Where to Prune: Using LSTM to Guide End-to-end Pruning/ **3205**

Jing Zhong, Guiguang Ding, Yuchen Guo, Jungong Han, Bin Wang

Trajectory-User Linking via Variational AutoEncoder/ **3212**

Fan Zhou, Qiang Gao, Goce Trajcevski, Kunpeng Zhang, Ting Zhong, Fengli Zhang

On the Convergence Properties of a K-step Averaging Stochastic Gradient Descent Algorithm for Nonconvex Optimization/
3219

Fan Zhou, Guojing Cong

Cost-aware Cascading Bandits/ **3228**

Ruida Zhou, Chao Gan, Jing Yang, Cong Shen

Towards Generalized and Efficient Metric Learning on Riemannian Manifold/ **3235**

Pengfei Zhu, Hao Cheng, Qinghua Hu, Qilong Wang, Changqing Zhang

Beyond Similar and Dissimilar Relations : A Kernel Regression Formulation for Metric Learning/ **3242**

Pengfei Zhu, Ren Qi, Qinghua Hu, Qilong Wang, Changqing Zhang, Liu Yang

Fast Model Identification via Physics Engines for Data-Efficient Policy Search/ **3249**

Shaojun Zhu, Andrew Kimmel, Kostas E. Bekris, Abdeslam Boularias

Robust Graph Dimensionality Reduction/ **3257**

Xiaofeng Zhu, Cong Lei, Hao Yu, Yonggang Li, Jiangzhang Gan, Shichao Zhang

Improving Deep Neural Network Sparsity through Decorrelation Regularization/ **3264**

Xiaotian Zhu, Wengang Zhou, Houqiang Li

Localized Incomplete Multiple Kernel k-means/ **3271**

Xinzhong Zhu, Xinwang Liu, Miaomiao Li, En Zhu, Li Liu, Zhiping Cai, Jianping Yin, Wen Gao

Robust Multi-view Learning via Half-quadratic Minimization/ **3278**

Yonghua Zhu, Xiaofeng Zhu, Wei Zheng

Machine Learning Applications

Sampling for Approximate Bipartite Network Projection/ **3286**

Nesreen Ahmed, Nick Duffield, Liangzhen Xia

A Fast and Accurate Method for Estimating People Flow from Spatiotemporal Population Data/ **3293**

Yasunori Akagi, Takuya Nishimura, Takeshi Kurashima, Hiroyuki Toda

Content-Aware Hierarchical Point-of-Interest Embedding Model for Successive POI Recommendation/ **3301**

Buru Chang, Yonggyu Park, Donghyeon Park, Seongsoon Kim, Jaewoo Kang

Beyond the Click-Through Rate: Web Link Selection with Multi-level Feedback/ **3308**

Kun Chen, Kechao Cai, Longbo Huang, John C.S. Lui

NeuCast: Seasonal Neural Forecast of Power Grid Time Series/ **3315**

Pudi Chen, Shenghua Liu, Chuan Shi, Bryan Hooi, Bai Wang, Xueqi Cheng

Predicting Complex Activities from Ongoing Multivariate Time Series/ **3322**

Weihao Cheng, Sarah Erfani, Rui Zhang, Ramamohanarao Kotagiri

DELf: A Dual-Embedding based Deep Latent Factor Model for Recommendation/ **3329**

Weiyu Cheng, Yanyan Shen, Yanmin Zhu, Linpeng Huang

Learning to Recognize Transient Sound Events using Attentional Supervision/ **3336**

Szu-Yu Chou, Jyh-Shing Jang, Yi-Hsuan Yang

Improving Implicit Recommender Systems with View Data/ **3343**

Jingtao Ding, Guanghui Yu, Xiangnan He, Yuhan Quan, Yong Li, Tat-Seng Chua, Depeng Jin, Jiajie Yu

Recurrent Collaborative Filtering for Unifying General and Sequential Recommender/ **3350**

Disheng Dong, Xiaolin Zheng, Ruixun Zhang, Yan Wang

Automatic Opioid User Detection from Twitter: Transductive Ensemble Built on Different Meta-graph Based Similarities over Heterogeneous Information Network/ **3357**

Yujie Fan, Yiming Zhang, Yanfang Ye, Xin Li

Deep Attributed Network Embedding/ **3364**

Hongchang Gao, Heng Huang

Interpretable Drug Target Prediction Using Deep Neural Representation/ **3371**

Kyle Yingkai Gao, Achille Fokoue, Heng Luo, Arun Iyengar, Sanjoy Dey, Ping Zhang

Recommendation with Multi-Source Heterogeneous Information/ **3378**

Li Gao, Hong Yang, Jia Wu, Chuan Zhou, Weixue Lu, Yue Hu

Discrete Interventions in Hawkes Processes with Applications in Invasive Species Management/ **3385**

Amrita Gupta, Mehrdad Farajtabar, Bistra Dilikina, Hongyuan Zha

- Aspect-Level Deep Collaborative Filtering via Heterogeneous Information Networks/ **3393**
Xiaotian Han, Chuan Shi, Senzhang Wang, Philip S. Yu, Li Song
- Interpretable Recommendation via Attraction Modeling: Learning Multilevel Attractiveness over Multimodal Movie Contents/
3400
Liang Hu, Songlei Jian, Longbing Cao, Qingkui Chen
- Integrative Network Embedding via Deep Joint Reconstruction/ **3407**
Di Jin, Meng Ge, Liang Yang, Dongxiao He, Longbiao Wang, Weixiong Zhang
- Modeling Contemporaneous Basket Sequences with Twin Networks for Next-Item Recommendation/ **3414**
Duc-Trong Le, Hady W. Lauw, Yuan Fang
- Lightweight Label Propagation for Large-Scale Network Data/ **3421**
De-Ming Liang, Yu-Feng Li
- GeoMAN: Multi-level Attention Networks for Geo-sensory Time Series Prediction/ **3428**
Yuxuan Liang, Songyu Ke, Junbo Zhang, Xiuwen Yi, Yu Zheng
- Predicting Activity and Location with Multi-task Context Aware Recurrent Neural Network/ **3435**
Dongliang Liao, Weiqing Liu, Yuan Zhong, Jing Li, Guowei Wang
- Deep Reinforcement Learning in Ice Hockey for Context-Aware Player Evaluation/ **3442**
Guiliang Liu, Oliver Schulte
- Discrete Factorization Machines for Fast Feature-based Recommendation/ **3449**
Han Liu, Xiangnan He, Fuli Feng, Liqiang Nie, Rui Liu, Hanwang Zhang
- Hashtag2Vec: Learning Hashtag Representation with Relational Hierarchical Embedding Model/ **3456**
Jie Liu, Zhicheng He, Yalou Huang
- Dynamic Bayesian Logistic Matrix Factorization for Recommendation with Implicit Feedback/ **3463**
Yong Liu, Lifan Zhao, Guimei Liu, Xinyan Lu, Peng Gao, Xiao-Li Li, Zhihui Jin
- LC-RNN: A Deep Learning Model for Traffic Speed Prediction/ **3470**
Zhongjian Lv, Jiajie Xu, Kai Zheng, Hongzhi Yin, Pengpeng Zhao, Xiaofang Zhou
- Drug Similarity Integration Through Attentive Multi-view Graph Auto-Encoders/ **3477**
Tengfei Ma, Cao Xiao, Jiayu Zhou, Fei Wang
- Your Tweets Reveal What You Like: Introducing Cross-media Content Information into Multi-domain Recommendation/ **3484**
Weizhi Ma, Min Zhang, Chenyang Wang, Cheng Luo, Yiqun Liu, Shaoping Ma
- From Reality to Perception: Genre-Based Neural Image Style Transfer/ **3491**
Zhuoqi Ma, Nannan Wang, Xinbo Gao, Jie Li
- On Whom Should I Perform this Lab Test Next? An Active Feature Elicitation Approach/ **3498**
Sriaram Natarajan, Srijita Das, Nandini Ramanan, Gautam Kunapuli, Predrag Radivojac
- Hierarchical Electricity Time Series Forecasting for Integrating Consumption Patterns Analysis and Aggregation Consistency/
3506
Yue Pang, Bo Yao, Xiangdong Zhou, Yong Zhang, Yiming Xu, Zijing Tan
- ANOMALOUS: A Joint Modeling Approach for Anomaly Detection on Attributed Networks/ **3513**

Zhen Peng, Minnan Luo, Jundong Li, Huan Liu, Qinghua Zheng

Pairwise-Ranking based Collaborative Recurrent Neural Networks for Clinical Event Prediction/ **3520**

Zhi Qiao, Shiwan Zhao, Cao Xiao, Xiang Li, Yong Qin, Fei Wang

Hybrid Approach of Relation Network and Localized Graph Convolutional Filtering for Breast Cancer Subtype Classification/ **3527**

Sungmin Rhee, Seokjun Seo, Sun Kim

Improving Information Centrality of a Node in Complex Networks by Adding Edges/ **3535**

Liren Shan, Yuhao Yi, Zhongzhi Zhang

A Joint Learning Approach to Intelligent Job Interview Assessment/ **3542**

Dazhong Shen, Hengshu Zhu, Chen Zhu, Tong Xu, Chao Ma, Hui Xiong

Discrete Network Embedding/ **3549**

Xiaobo Shen, Shirui Pan, Weiwei Liu, Yew-Soon Ong, Quan-Sen Sun

Estimating Latent People Flow without Tracking Individuals/ **3556**

Yusuke Tanaka, Tomoharu Iwata, Takeshi Kurashima, Hiroyuki Toda, Naonori Ueda

Power-law Distribution Aware Trust Prediction/ **3564**

Xiao Wang, Ziwei Zhang, Jing Wang, Peng Cui, Shiqiang Yang

Real-time Traffic Pattern Analysis and Inference with Sparse Video Surveillance Information/ **3571**

Yang Wang, Yiwei Xiao, Xike Xie, Ruoyu Chen, Hengchang Liu

Predicting the Spatio-Temporal Evolution of Chronic Diseases in Population with Human Mobility Data/ **3578**

Yingzi Wang, Xiao Zhou, Anastasios Noulas, Cecilia Mascolo, Xing Xie, Enhong Chen

Matrix completion with Preference Ranking for Top-N Recommendation/ **3585**

Zengmao Wang, Yuhong Guo, Bo Du

Where Have You Been? Inferring Career Trajectory from Academic Social Network/ **3592**

Kan Wu, Jie Tang, Chenhui Zhang

Extracting Job Title Hierarchy from Career Trajectories: A Bayesian Perspective/ **3599**

Huang Xu, Zhiwen Yu, Bin Guo, Mingfei Teng, Hui Xiong

Line separation from topographic maps using regional color and spatial information/ **3606**

Pengfei Xu, Qiguang Miao, Tiange Liu, Xiaojiang Chen, Dingyi Fang

3-in-1 Correlated Embedding via Adaptive Exploration of the Structure and Semantic Subspaces/ **3613**

Liang Yang, Yuanfang Guo, Di Jin, Huazhu Fu, Xiaochun Cao

Biharmonic Distance Related Centrality for Edges in Weighted Networks/ **3620**

Yuhao Yi, Liren Shan, Huan Li, Zhongzhi Zhang

Joint Learning of Phenotypes and Diagnosis-Medication Correspondence via Hidden Interaction Tensor Factorization/ **3627**

Kejing Yin, William K. Cheung, Yang Liu, Benjamin C. M. Fung, Jonathan Poon

Spatio-Temporal Graph Convolutional Networks: A Deep Learning Framework for Traffic Forecasting/ **3634**

Bing Yu, Haoteng Yin, Zhanxing Zhu

Task-Guided and Semantic-Aware Ranking for Academic Author-Paper Correlation Inference/ **3641**

Chuxu Zhang, Lu Yu, Xiangliang Zhang, Nitesh V. Chawla

Finding Communities with Hierarchical Semantics by Distinguishing General and Specialized topics/ **3648**

Ge Zhang, Di Jin, Jian Gao, Pengfei Jiao, Françoise Fogelman-Soulié, Xin Huang

DeepTravel: a Neural Network Based Travel Time Estimation Model with Auxiliary Supervision/ **3655**

Hanyuan Zhang, Hao Wu, Weiwei Sun, Baihua Zheng

CoupledCF: Learning Explicit and Implicit User-item Couplings in Recommendation for Deep Collaborative Filtering/ **3662**

Quanguai Zhang, Longbing Cao, Chengzhang Zhu, Zhiqiang Li, Jinguang Sun

NeuRec: On Nonlinear Transformation for Personalized Ranking/ **3669**

Shuai Zhang, Lina Yao, Aixin Sun, Sen Wang, Guodong Long, Manqing Dong

PLASTIC: Prioritize Long and Short-term Information in Top-n Recommendation using Adversarial Training/ **3676**

Wei Zhao, Benyou Wang, Jianbo Ye, Yongqiang Gao, Min Yang, Xiaojun Chen

Open-Ended Long-form Video Question Answering via Adaptive Hierarchical Reinforced Networks/ **3683**

Zhou Zhao, Zhu Zhang, Shuwen Xiao, Zhou Yu, Jun Yu, Deng Cai, Fei Wu, Yueting Zhuang

Multi-Turn Video Question Answering via Multi-Stream Hierarchical Attention Context Network/ **3690**

Zhou Zhao, Xinghua Jiang, Deng Cai, Jun Xiao, Xiaofei He, Shiliang Pu

Fast Vehicle Identification in Surveillance via Ranked Semantic Sampling Based Embedding/ **3697**

Feng Zheng, Xin Miao, Heng Huang

JUMP: a Jointly Predictor for User Click and Dwell Time/ **3704**

Tengfei Zhou, Hui Qian, Zebang Shen, Chao Zhang, Chengwei Wang, Shichen Liu, Wenwu Ou

A Deep Framework for Cross-Domain and Cross-System Recommendations/ **3711**

Feng Zhu, Yan Wang, Chaochao Chen, Guanfeng Liu, Mehmet Orgun, Jia Wu

A Local Algorithm for Product Return Prediction in E-Commerce/ **3718**

Yada Zhu, Jianbo Li, Jingrui He, Brian L. Quanz, Ajay A. Deshpande

Globally Optimized Mutual Influence Aware Ranking in E-Commerce Search/ **3725**

Tao Zhuang, Wenwu Ou, Zhirong Wang

Periodic-CRN: A Convolutional Recurrent Model for Crowd Density Prediction with Recurring Periodic Patterns/ **3732**

Ali Zonoozi, Jung-jae Kim, Xiao-Li Li, Gao Cong

Multidisciplinary Topics and Applications

Curriculum Adversarial Training/ **3740**

Qi-Zhi Cai, Chang Liu, Dawn Song

A³NCF: An Adaptive Aspect Attention Model for Rating Prediction/ **3748**

Zhiyong Cheng, Ying Ding, Xiangnan He, Lei Zhu, Xuemeng Song, Mohan Kankanhalli

Fact Checking via Evidence Patterns/ **3755**

Valeria Fionda, Giuseppe Pirrò

Three-Head Neural Network Architecture for Monte Carlo Tree Search/ **3762**

Chao Gao, Martin Müller, Ryan Hayward

Adversarial Regression for Detecting Attacks in Cyber-Physical Systems/ **3769**

Amin Ghafouri, Yevgeniy Vorobeychik, Xenofon Koutsoukos

Tag-based Weakly-supervised Hashing for Image Retrieval/ **3776**

Ziyu Guan, Fei Xie, Wanqing Zhao, Xiaopeng Wang, Long Chen, Wei Zhao, Jinye Peng

Adversarial Task Assignment/ **3783**

Chen Hajaj, Yevgeniy Vorobeychik

A Social Interaction Activity based Time-Varying User Vectorization Method for Online Social Networks/ **3790**

Tianyi Hao, Longbo Huang

Social Media based Simulation Models for Understanding Disease Dynamics/ **3797**

Ting Hua, Chandan K Reddy, Lei Zhang, Lijing Wang, Liang Zhao, Chang-Tien Lu, Naren Ramakrishnan

Towards Better Representation Learning for Personalized News Recommendation: a Multi-Channel Deep Fusion Approach/ **3805**

Jianxun Lian, Fuzheng Zhang, Xing Xie, Guangzhong Sun

A Non-Parametric Generative Model for Human Trajectories/ **3812**

Kun Ouyang, Reza Shokri, David S. Rosenblum, Wenzhuo Yang

DyNMF: Role Analytics in Dynamic Social Networks/ **3818**

Yulong Pei, Jianpeng Zhang, George Fletcher, Mykola Pechenizkiy

LSTM Networks for Online Cross-Network Recommendations/ **3825**

Dilruk Perera, Roger Zimmermann

Neural User Response Generator: Fake News Detection with Collective User Intelligence/ **3834**

Feng Qian, Chengyue Gong, Karishma Sharma, Yan Liu

Weakly Learning to Match Experts in Online Community/ **3841**

Yujie Qian, Jie Tang, Kan Wu

Optimal Cruiser-Drone Traffic Enforcement Under Energy Limitation/ **3848**

Ariel Rosenfeld, Oleg Maksimov, Sarit Kraus

Path Evaluation and Centralities in Weighted Graphs - An Axiomatic Approach/ **3856**

Jadwiga Sosnowska, Oskar Skibski

MASTER: across Multiple social networks, integrate Attribute and SStructure Embedding for Reconciliation/ **3863**

Sen Su, Li Sun, Zhongbao Zhang, Gen Li, Jielun Qu

A Group-based Approach to Improve Multifactorial Evolutionary Algorithm/ **3870**

Jing Tang, Yingke Chen, Zixuan Deng, Yanping Xiang, Colin Paul Joy

Exploiting POI-Specific Geographical Influence for Point-of-Interest Recommendation/ **3877**

Hao Wang, Huawei Shen, Wentao Ouyang, Xueqi Cheng

High-Fidelity Simulated Players for Interactive Narrative Planning/ **3884**

Pengcheng Wang, Jonathan Rowe, Wookhee Min, Bradford Mott, James Lester

Cascaded SR-GAN for Scale-Adaptive Low Resolution Person Re-identification/ **3891**

Zheng Wang, Mang Ye, Fan Yang, Xiang Bai, Shin'ichi Satoh

Axiomatization of the PageRank Centrality/ **3898**

Tomasz Wqs, Oskar Skibski

Generating Adversarial Examples with Adversarial Networks/ **3905**

Chaowei Xiao, Bo Li, Jun-yan Zhu, Warren He, Mingyan Liu, Dawn Song

From the Periphery to the Core: Information Brokerage in an Evolving Network/ **3912**

Bo Yan, Yiping Liu, Jiamou Liu, Yijin Cai, Hongyi Su, Hong Zheng

Representing Urban Functions through Zone Embedding with Human Mobility Patterns/ **3919**

Zijun Yao, Yanjie Fu, Bin Liu, Wangsu Hu, Hui Xiong

Sequential Recommender System based on Hierarchical Attention Networks/ **3926**

Haochao Ying, Fuzhen Zhuang, Fuzheng Zhang, Yanchi Liu, Guandong Xu, Xing Xie, Hui Xiong, Jian Wu

GELU-Net: A Globally Encrypted, Locally Unencrypted Deep Neural Network for Privacy-Preserved Learning/ **3933**

Qiao Zhang, Cong Wang, Hongyi Wu, Chunsheng Xin, Tran V. Phuong

Impression Allocation for Combating Fraud in E-commerce Via Deep Reinforcement Learning with Action Norm Penalty/ **3940**

Mengchen Zhao, Zhao Li, Bo An, Haifeng Lu, Yifan Yang, Chen Chu

A Brand-level Ranking System with the Customized Attention-GRU Model/ **3947**

Yu Zhu, Junxiong Zhu, Jie Hou, Yongliang Li, Beidou Wang, Ziyu Guan, Deng Cai

Natural Language Processing

Translations as Additional Contexts for Sentence Classification/ **3955**

Reinald Kim Amplayo, Kyungjae Lee, Jinyoung Yeo, Seung-won Hwang

Empirical Analysis of Foundational Distinctions in Linked Open Data/ **3962**

Luigi Asprino, Valerio Basile, Paolo Ciancarini, Valentina Presutti

Think Globally, Embed Locally — Locally Linear Meta-embedding of Words/ **3970**

Danushka Bollegala, Kohei Hayashi, Ken-ichi Kawarabayashi

An Encoder-Decoder Framework Translating Natural Language to Database Queries/ **3977**

Ruichu Cai, Boyan Xu, Zhenjie Zhang, Xiaoyan Yang, Zijian Li, Zhihao Liang

Medical Concept Embedding with Time-Aware Attention/ **3984**

Xiangrui Cai, Jinyang Gao, Kee Yuan Ngiam, Beng Chin Ooi, Ying Zhang, Xiaojie Yuan

Point Set Registration for Unsupervised Bilingual Lexicon Induction/ **3991**

Hailong Cao, Tiejun Zhao

Co-training Embeddings of Knowledge Graphs and Entity Descriptions for Cross-lingual Entity Alignment/ **3998**

Muhao Chen, Yingtao Tian, Kai-Wei Chang, Steven Skiena, Carlo Zaniolo

TreeNet: Learning Sentence Representations with Unconstrained Tree Structure/ **4005**

Zhou Cheng, Chun Yuan, Jiancheng Li, Haiqin Yang

Adversarial Active Learning for Sequences Labeling and Generation/ **4012**

Yue Deng, KaWai Chen, Yilin Shen, Hongxia Jin

Submodularity-Inspired Data Selection for Goal-Oriented Chatbot Training Based on Sentence Embeddings / **4019**
Mladen Dimovski, Claudiu Musat, Vladimir Ilievski, Andreea Hossman, Michael Baeriswyl

Domain Adaptation via Tree Kernel Based Maximum Mean Discrepancy for User Consumption Intention Identification/ **4026**
Xiao Ding, Bibo Cai, Ting Liu, Qiankun Shi

Attention-Fused Deep Matching Network for Natural Language Inference/ **4033**
Chaoqun Duan, Lei Cui, Xinchu Chen, Furu Wei, Conghui Zhu, Tiejun Zhao

A Deep Modular RNN Approach for Ethos Mining/ **4041**
Rory Duthie, Katarzyna Budzynska

A Question Type Driven Framework to Diversify Visual Question Generation/ **4048**
Zhihao Fan, Zhongyu Wei, Piji Li, Yanyan Lan, Xuanjing Huang

Efficient Pruning of Large Knowledge Graphs/ **4055**
Stefano Faralli, Irene Finocchi, Simone Paolo Ponzetto, Paola Velardi

Extracting Action Sequences from Texts Based on Deep Reinforcement Learning/ **4064**
Wenfeng Feng, Hankz Hankui Zhuo, Subbarao Kambhampati

Improving Low Resource Named Entity Recognition using Cross-lingual Knowledge Transfer/ **4071**
Xiaocheng Feng, Xiachong Feng, Bing Qin, Zhangyin Feng, Ting Liu

Topic-to-Essay Generation with Neural Networks/ **4078**
Xiaocheng Feng, Ming Liu, Jiahao Liu, Bing Qin, Yibo Sun, Ting Liu

EZLearn: Exploiting Organic Supervision in Automated Data Annotation/ **4085**
Maxim Grechkin, Hoifung Poon, Bill Howe

Approximating Word Ranking and Negative Sampling for Word Embedding/ **4092**
Guibing Guo, Shichang Ouyang, Fajie Yuan, Xingwei Wang

Reinforced Mnemonic Reader for Machine Reading Comprehension/ **4099**
Minghao Hu, Yuxing Peng, Zhen Huang, Xipeng Qiu, Furu Wei, Ming Zhou

Improving Entity Recommendation with Search Log and Multi-Task Learning/ **4107**
Jizhou Huang, Wei Zhang, Yaming Sun, Haifeng Wang, Ting Liu

Goal-Oriented Chatbot Dialog Management Bootstrapping with Transfer Learning/ **4115**
Vladimir Ilievski, Claudiu Musat, Andreea Hossman, Michael Baeriswyl

Mitigating the Effect of Out-of-Vocabulary Entity Pairs in Matrix Factorization for KB Inference/ **4122**
Prachi Jain, Shikhar Murty, Mausam, Soumen Chakrabarti

Learning to Give Feedback: Modeling Attributes Affecting Argument Persuasiveness in Student Essays/ **4130**
Zixuan Ke, Winston Carlile, Nishant Gurrupadi, Vincent Ng

ACV-tree: A New Method for Sentence Similarity Modeling/ **4137**
Yuquan Le, Zhi-jie Wang, Zhe Quan, Jiawei He, Bin Yao

An Adaptive Hierarchical Compositional Model for Phrase Embedding/ **4144**

Bing Li, Xiaochun Yang, Bin Wang, Wei Wang, Wei Cui, Xianchao Zhang

Multi-modal Sentence Summarization with Modality Attention and Image Filtering/ **4152**

Haoran Li, Junnan Zhu, Tianshang Liu, Jiajun Zhang, Chengqing Zong

Code Completion with Neural Attention and Pointer Networks/ **4159**

Jian Li, Yue Wang, Michael R. Lyu, Irwin King

SegBot: A Generic Neural Text Segmentation Model with Pointer Network/ **4166**

Jing Li, Aixin Sun, Shafiq Joty

Adaboost with Auto-Evaluation for Conversational Models/ **4173**

Juncen Li, Ping Luo, Ganbin Zhou, Fen Lin, Cheng Niu

Non-translational Alignment for Multi-relational Networks/ **4180**

Shengnan Li, Xin Li, Rui Ye, Mingzhong Wang, Haiping Su, Yingzi Ou

Learning Word Vectors with Linear Constraints: A Matrix Factorization Approach/ **4187**

Wenye Li, Jiawei Zhang, Jianjun Zhou, Laizhong Cui

Aspect Term Extraction with History Attention and Selective Transformation/ **4194**

Xin Li, Lidong Bing, Piji Li, Wai Lam, Zhimou Yang

Constructing Narrative Event Evolutionary Graph for Script Event Prediction/ **4201**

Zhongyang Li, Xiao Ding, Ting Liu

Deep Text Classification Can be Fooled/ **4208**

Bin Liang, Hongcheng Li, Miaoqiang Su, Pan Bian, Xirong Li, Wenchang Shi

Feature Enhancement in Attention for Visual Question Answering/ **4216**

Yuetan Lin, Zhangyang Pang, Donghui Wang, Yueting Zhuang

Curriculum Learning for Natural Answer Generation/ **4223**

Cao Liu, Shizhu He, Kang Liu, Jun Zhao

Learning to Explain Ambiguous Headlines of Online News/ **4230**

Tianyu Liu, Wei Wei, Xiaojun Wan

Jumper: Learning When to Make Classification Decision in Reading/ **4237**

Xianggen Liu, Lili Mou, Haotian Cui, Zhengdong Lu, Sen Song

Beyond Polarity: Interpretable Financial Sentiment Analysis with Hierarchical Query-driven Attention/ **4244**

Ling Luo, Xiang Ao, Feiyang Pan, Jin Wang, Tong Zhao, Ningzi Yu, Qing He

A Hierarchical End-to-End Model for Jointly Improving Text Summarization and Sentiment Classification/ **4251**

Shuming Ma, Xu Sun, Junyang Lin, Xuancheng Ren

Show and Tell More: Topic-Oriented Multi-Sentence Image Captioning/ **4258**

Yuzhao Mao, Chang Zhou, Xiaojie Wang, Ruifan Li

Answering Mixed Type Questions about Daily Living Episodes/ **4265**

Taiki Miyanishi, Jun-ichiro Hirayama, Atsunori Kanemura, Motoaki Kawanabe

ElimiNet: A Model for Eliminating Options for Reading Comprehension with Multiple Choice Questions/ **4272**

Soham Parikh, Ananya Sai, Preksha Nema, Mitesh Khapra

Assigning Personality/Profile to a Chatting Machine for Coherent Conversation Generation/ **4279**

Qiao Qian, Minlie Huang, Haizhou Zhao, Jingfang Xu, Xiaoyan Zhu

Translating Embeddings for Knowledge Graph Completion with Relation Attention Mechanism/ **4286**

Wei Qian, Cong Fu, Yu Zhu, Deng Cai, Xiaofei He

Event Factuality Identification via Generative Adversarial Networks with Auxiliary Classification/ **4293**

Zhong Qian, Peifeng Li, Yue Zhang, Guodong Zhou, Qiaoming Zhu

Inferring Temporal Knowledge for Near-Periodic Recurrent Events/ **4301**

Dinesh Raghu, Surag Nair, Mausam

Learning Out-of-Vocabulary Words in Intelligent Personal Agents/ **4309**

Avik Ray, Yilin Shen, Hongxia Jin

Joint Posterior Revision of NLP Annotations via Ontological Knowledge/ **4316**

Marco Rospocher, Francesco Corcoglioniti

Interpretable Adversarial Perturbation in Input Embedding Space for Text/ **4323**

Motoki Sato, Jun Suzuki, Hiroyuki Shindo, Yuji Matsumoto

Functional Partitioning of Ontologies for Natural Language Query Completion in Question Answering Systems/ **4331**

Jaydeep Sen, Ashish Mittal, Diptikalyan Saha, Karthik Sankaranarayanan

Learning to Converse with Noisy Data: Generation with Calibration/ **4338**

Mingyue Shang, Zhenxin Fu, Nanyun Peng, Yansong Feng, Dongyan Zhao, Rui Yan

Reinforced Self-Attention Network: a Hybrid of Hard and Soft Attention for Sequence Modeling/ **4345**

Tao Shen, Tianyi Zhou, Guodong Long, Jing Jiang, Sen Wang, Chengqi Zhang

Listen, Think and Listen Again: Capturing Top-down Auditory Attention for Speaker-independent Speech Separation/ **4353**

Jing Shi, Jiaming Xu, Guangcan Liu, Bo Xu

Toward Diverse Text Generation with Inverse Reinforcement Learning/ **4361**

Zhan Shi, Xinchu Chen, Xipeng Qiu, Xuanjing Huang

Complementary Learning of Word Embeddings/ **4368**

Yan Song, Shuming Shi

Joint Learning Embeddings for Chinese Words and their Components via Ladder Structured Networks/ **4375**

Yan Song, Shuming Shi, Jing Li

An Ensemble of Retrieval-Based and Generation-Based Human-Computer Conversation Systems/ **4382**

Yiping Song, Cheng-Te Li, Jian-Yun Nie, Ming Zhang, Dongyan Zhao, Rui Yan

Exploring Encoder-Decoder Model for Distant Supervised Relation Extraction/ **4389**

Sen Su, Ningning Jia, Xiang Cheng, Shuguang Zhu, Ruiping Li

Bootstrapping Entity Alignment with Knowledge Graph Embedding/ **4396**

Zequan Sun, Wei Hu, Qingheng Zhang, Yuzhong Qu

A Weakly Supervised Method for Topic Segmentation and Labeling in Goal-oriented Dialogues via Reinforcement Learning/

4403

Ryuichi Takanobu, Minlie Huang, Zhongzhou Zhao, Fenglin Li, Haiqing Chen, Xiaoyan Zhu, Liqiang Nie

Multiway Attention Networks for Modeling Sentence Pairs/ **4411**

Chuanqi Tan, Furu Wei, Wenhui Wang, Weifeng Lv, Ming Zhou

Get The Point of My Utterance! Learning Towards Effective Responses with Multi-Head Attention Mechanism/ **4418**

Chongyang Tao, Shen Gao, Mingyue Shang, Wei Wu, Dongyan Zhao, Rui Yan

Hermitian Co-Attention Networks for Text Matching in Asymmetrical Domains/ **4425**

Yi Tay, Anh Tuan Luu, Siu Cheung Hui

One "Ruler" for All Languages: Multi-Lingual Dialogue Evaluation with Adversarial Multi-Task Learning/ **4432**

Xiaowei Tong, Zhenxin Fu, Mingyue Shang, Dongyan Zhao, Rui Yan

Aspect Sentiment Classification with both Word-level and Clause-level Attention Networks/ **4439**

Jingjing Wang, Jie Li, Shoushan Li, Yangyang Kang, Min Zhang, Luo Si, Guodong Zhou

SentiGAN: Generating Sentimental Texts via Mixture Adversarial Networks/ **4446**

Ke Wang, Xiaojun Wan

A Reinforced Topic-Aware Convolutional Sequence-to-Sequence Model for Abstractive Text Summarization/ **4453**

Li Wang, Junlin Yao, Yunzhe Tao, Li Zhong, Wei Liu, Qiang Du

Joint Extraction of Entities and Relations Based on a Novel Graph Scheme/ **4461**

Shaolei Wang, Yue Zhang, Wanxiang Che, Ting Liu

Densely Connected CNN with Multi-scale Feature Attention for Text Classification/ **4468**

Shiyao Wang, Minlie Huang, Zhidong Deng

Transition-based Adversarial Network for Cross-lingual Aspect Extraction/ **4475**

Wenya Wang, Sinno Jialin Pan

Quality Matters: Assessing cQA Pair Quality via Transductive Multi-View Learning/ **4482**

Xiaochi Wei, Heyan Huang, Liqiang Nie, Fuli Feng, Richang Hong, Tat-Seng Chua

Instance Weighting with Applications to Cross-domain Text Classification via Trading off Sample Selection Bias and Variance/ **4489**

Rui Xia, Zhenchun Pan, Feng Xu

Transformable Convolutional Neural Network for Text Classification/ **4496**

Liqiang Xiao, Honglun Zhang, Wenqing Chen, Yongkun Wang, Yaohui Jin

Scheduled Policy Optimization for Natural Language Communication with Intelligent Agents/ **4503**

Wenhan Xiong, Xiaoxiao Guo, Mo Yu, Shiyu Chang, Bowen Zhou, William Yang Wang

Lifelong Domain Word Embedding via Meta-Learning/ **4510**

Hu Xu, Bing Liu, Lei Shu, Philip S. Yu

Enhancing Semantic Representations of Bilingual Word Embeddings with Syntactic Dependencies/ **4517**

Linli Xu, Wenjun Ouyang, Xiaoying Ren, Yang Wang, Liang Jiang

Smarter Response with Proactive Suggestion: A New Generative Neural Conversation Paradigm/ **4525**

Rui Yan, Dongyan Zhao

Ensemble Neural Relation Extraction with Adaptive Boosting/ **4532**

Dongdong Yang, Senzhang Wang, Zhoujun Li

Generating Thematic Chinese Poetry using Conditional Variational Autoencoders with Hybrid Decoders/ **4539**

Xiaopeng Yang, Xiaowen Lin, Shunda Suo, Ming Li

Teaching Machines to Ask Questions/ **4546**

Kaichun Yao, Libo Zhang, Tiejian Luo, Lili Tao, Yanjun Wu

Chinese Poetry Generation with a Working Memory Model/ **4553**

Xiaoyuan Yi, Maosong Sun, Ruoyu Li, Zonghan Yang

Biased Random Walk based Social Regularization for Word Embeddings/ **4560**

Ziqian Zeng, Xin Liu, Yangqiu Song

Reinforcing Coherence for Sequence to Sequence Model in Dialogue Generation/ **4567**

Hainan Zhang, Yanyan Lan, Jiafeng Guo, Jun Xu, Xueqi Cheng

Weakly Supervised Audio Source Separation via Spectrum Energy Preserved Wasserstein Learning/ **4574**

Ning Zhang, Junchi Yan, Yuchen Zhou

Learning Tag Dependencies for Sequence Tagging/ **4581**

Yuan Zhang, Hongshen Chen, Yihong Zhao, Qun Liu, Dawei Yin

Towards Reading Comprehension for Long Documents/ **4588**

Yuanxing Zhang, Yangbin Zhang, Kaigui Bian, Xiaoming Li

Text Emotion Distribution Learning via Multi-Task Convolutional Neural Network/ **4595**

Yuxiang Zhang, Jiamei Fu, Dongyu She, Ying Zhang, Senzhang Wang, Jufeng Yang

Neural Networks Incorporating Unlabeled and Partially-labeled Data for Cross-domain Chinese Word Segmentation/ **4602**

Lujun Zhao, Qi Zhang, Peng Wang, Xiaoyu Liu

Phrase Table as Recommendation Memory for Neural Machine Translation/ **4609**

Yang Zhao, Yining Wang, Jiajun Zhang, Chengqing Zong

Same Representation, Different Attentions: Shareable Sentence Representation Learning from Multiple Tasks/ **4616**

Renjie Zheng, Junkun Chen, Xipeng Qiu

Commonsense Knowledge Aware Conversation Generation with Graph Attention/ **4623**

Hao Zhou, Tom Young, Minlie Huang, Haizhou Zhao, Jingfang Xu, Xiaoyan Zhu

Differentiated Attentive Representation Learning for Sentence Classification/ **4630**

Qianrong Zhou, Xiaojie Wang, Xuan Dong

Planning and Scheduling

Multi-modal Predicate Identification using Dynamically Learned Robot Controllers/ **4638**

Saeid Amiri, Suhua Wei, Shiqi Zhang, Jivko Sinapov, Jesse Thomason, Peter Stone

Scheduling under Uncertainty: A Query-based Approach/ **4646**

Luciana Arantes, Evripidis Bampis, Alexander Kononov, Manthos Letsios, Giorgio Lucarelli, Pierre Sens

- Novel Structural Parameters for Acyclic Planning Using Tree Embeddings/ **4653**
Christer Bäckström, Peter Jonsson, Sebastian Ordyniak
- Variable-Delay Controllability/ **4660**
Nikhil Bhargava, Christian Muise, Brian Williams
- Features, Projections, and Representation Change for Generalized Planning/ **4667**
Blai Bonet, Hector Geffner
- Planning and Learning with Stochastic Action Sets/ **4674**
Craig Boutilier, Alon Cohen, Avinatan Hassidim, Yishay Mansour, Ofer Meshi, Martin Mladenov, Dale Schuurmans
- LTL Realizability via Safety and Reachability Games/ **4683**
Alberto Camacho, Christian Muise, Jorge A. Baier, Sheila A. McIlraith
- Expectation Optimization with Probabilistic Guarantees in POMDPs with Discounted-Sum Objectives/ **4692**
Krishnendu Chatterjee, Adrián Elgyütt, Petr Novotný, Owen Rouillé
- Computational Approaches for Stochastic Shortest Path on Succinct MDPs/ **4700**
Krishnendu Chatterjee, Hongfei Fu, Amir Goharshady, Nastaran Okati
- Local Minima, Heavy Tails, and Search Effort for GBFS/ **4708**
Eldan Cohen, J. Christopher Beck
- Analyzing Tie-Breaking Strategies for the A* Algorithm/ **4715**
Augusto B. Corrêa, André G. Pereira, Marcus Ritt
- Emergency Response Optimization using Online Hybrid Planning/ **4722**
Durga Harish Dayapule, Aswin Raghavan, Prasad Tadepalli, Alan Fern
- Automata-Theoretic Foundations of FOND Planning for LTLf and LDLf Goals/ **4729**
Giuseppe De Giacomo, Sasha Rubin
- Complexity of Scheduling Charging in the Smart Grid/ **4736**
Mathijs de Weerd, Michael Albert, Vincent Conitzer, Koos van der Linden
- Traffic Light Scheduling, Value of Time, and Incentives/ **4743**
Argyrios Deligkas, Erez Karpas, Ron Lavi, Rann Smorodinsky
- Unchaining the Power of Partial Delete Relaxation, Part II: Finding Plans with Red-Black State Space Search/ **4750**
Maximilian Fickert, Daniel Gnad, Joerg Hoffmann
- Model Checking Probabilistic Epistemic Logic for Probabilistic Multiagent Systems/ **4757**
Chen Fu, Andrea Turrini, Xiaowei Huang, Lei Song, Yuan Feng, Lijun Zhang
- Goal-HSVI: Heuristic Search Value Iteration for Goal POMDPs/ **4764**
Karel Horák, Branislav Bošanský, Krishnendu Chatterjee
- Learning to Infer Final Plans in Human Team Planning/ **4771**
Joseph Kim, Matthew E. Woicik, Matthew C. Gombolay, Sung-Hyun Son, Julie A. Shah
- Small Undecidable Problems in Epistemic Planning/ **4780**
Sébastien Lê Cong, Sophie Pinchinat, François Schwarzentruber

Effect-Abstraction Based Relaxation for Linear Numeric Planning/ **4787**

Dongxu Li, Enrico Scala, Patrik Haslum, Sergiy Bogomolov

Organizing Experience: a Deeper Look at Replay Mechanisms for Sample-Based Planning in Continuous State Domains/ **4794**

Yanqen Pan, Muhammad Zaheer, Adam White, Andrew Patterson, Martha White

Scalable Initial State Interdiction for Factored MDPs/ **4801**

Swetasudha Panda, Yevgeniy Vorobeychik

Counterplanning using Goal Recognition and Landmarks/ **4808**

Alberto Pozanco, Yolanda E-Martín, Susana Fernández, Daniel Borrajo

Planning in Factored State and Action Spaces with Learned Binarized Neural Network Transition Models/ **4815**

Buser Say, Scott Sanner

Dynamic Resource Routing using Real-Time Dynamic Programming/ **4822**

Sebastian Schmoll, Matthias Schubert

Hierarchical Expertise Level Modeling for User Specific Contrastive Explanations/ **4829**

Sarath Sreedharan, Siddharth Srivastava, Subbarao Kambhampati

LP Heuristics over Conjunctions: Compilation, Convergence, Nogood Learning/ **4837**

Marcel Steinmetz, Joerg Hoffmann

Completeness-Preserving Dominance Techniques for Satisficing Planning/ **4844**

Álvaro Torralba

Admissible Abstractions for Near-optimal Task and Motion Planning/ **4852**

William Vega-Brown, Nicholas Roy

PEORL: Integrating Symbolic Planning and Hierarchical Reinforcement Learning for Robust Decision-Making/ **4860**

Fangkai Yang, Daoming Lyu, Bo Liu, Steven Gustafson

Minimax-Regret Querying on Side Effects for Safe Optimality in Factored Markov Decision Processes/ **4867**

Shun Zhang, Edmund H. Durfee, Satinder Singh

Robotics

GraspNet: An Efficient Convolutional Neural Network for Real-time Grasp Detection for Low-powered Devices/ **4875**

Umar Asif, Jianbin Tang, Stefan Herrer

Learning Transferable UAV for Forest Visual Perception/ **4883**

Lyuji Chen, Wufan Wang, Jihong Zhu

Bayesian Active Edge Evaluation on Expensive Graphs/ **4890**

Sanjiban Choudhury, Siddhartha Srinivasa, Sebastian Scherer

Implicit Non-linear Similarity Scoring for Recognizing Unseen Classes/ **4898**

Yuchen Guo, Guiguang Ding, Jungong Han, Sicheng Zhao, Bin Wang

Interactive Robot Transition Repair With SMT/ **4905**

Jarrett Holtz, Arjun Guha, Joydeep Biswas

Virtual-to-Real: Learning to Control in Visual Semantic Segmentation/ **4912**

Zhang-Wei Hong, Yu-Ming Chen, Hsuan-Kung Yang, Shih-Yang Su, Tzu-Yun Shann, Yi-Hsiang Chang, Brian Hsi-Lin Ho, Chih-Chieh Tu, Tsu-Ching Hsiao, Hsin-Wei Hsiao, Sih-Pin Lai, Yueh-Chuan Chang, Chun-Yi Lee

Online, Interactive User Guidance for High-dimensional, Constrained Motion Planning/ **4921**
Fahad Islam, Oren Salzman, Maxim Likhachev

An Appearance-and-Structure Fusion Network for Object Viewpoint Estimation/ **4929**
Yueying Kao, Weiming Li, Zairan Wang, Dongqing Zou, Ran He, Qiang Wang, Minsu Ahn, Sunghoon Hong

Learning Unmanned Aerial Vehicle Control for Autonomous Target Following/ **4936**
Siyi Li, Tianbo Liu, Chi Zhang, Dit-Yan Yeung, Shaojie Shen

Robot Task Interruption by Learning to Switch Among Multiple Models/ **4943**
Anahita Mohseni-Kabir, Manuela Veloso

Behavioral Cloning from Observation/ **4950**
Faraz Torabi, Garrett Warnell, Peter Stone

3D-PhysNet: Learning the Intuitive Physics of Non-Rigid Object Deformations/ **4958**
Zhihua Wang, Stefano Rosa, Bo Yang, Sen Wang, Niki Trigoni, Andrew Markham

Active Object Reconstruction Using a Guided View Planner/ **4965**
Xin Yang, Yuanbo Wang, Yaru Wang, Baocai Yin, Qiang Zhang, Xiaopeng Wei, Hongbo Fu

Active Recurrence of Lighting Condition for Fine-Grained Change Detection/ **4972**
Qian Zhang, Wei Feng, Liang Wan, Fei-Peng Tian, Ping Tan

Uncertainty in AI

Parameterised Queries and Lifted Query Answering/ **4980**
Tanya Braun, Ralf Möller

Efficient Localized Inference for Large Graphical Models/ **4987**
Jinglin Chen, Jian Peng, Qiang Liu

The Promise and Perils of Myopia in Dynamic Pricing With Censored Information/ **4994**
Meenal Chhabra, Sanmay Das, Ilya Ryzhov

On Robust Trimming of Bayesian Network Classifiers/ **5002**
YooJung Choi, Guy Van den Broeck

Metadata-dependent Infinite Poisson Factorization for Efficiently Modelling Sparse and Large Matrices in Recommendation/ **5010**
Trong Dinh Thac Do, Longbing Cao

Redundancy-resistant Generative Hashing for Image Retrieval/ **5017**
Changying Du, Xingyu Xie, Changde Du, Hao Wang

A Graphical Criterion for Effect Identification in Equivalence Classes of Causal Diagrams/ **5024**
Amin Jaber, Jiji Zhang, Elias Bareinboim

Efficient Symbolic Integration for Probabilistic Inference/ **5031**
Samuel Kolb, Martin Mladenov, Scott Sanner, Vaishak Belle, Kristian Kersting

Policy Optimization with Second-Order Advantage Information/ **5038**

Jiajin Li, Baoxiang Wang, Shengyu Zhang

Building Sparse Deep Feedforward Networks using Tree Receptive Fields/ **5045**

Xiaopeng Li, Zhoung Chen, Nevin L. Zhang

Patent Litigation Prediction: A Convolutional Tensor Factorization Approach/ **5052**

Qi Liu, Han Wu, Yuyang Ye, Hongke Zhao, Chuanren Liu, Dongfang Du

Unsupervised Learning based Jump-Diffusion Process for Object Tracking in Video Surveillance/ **5060**

Xiaobai Liu, Donovan Lo, Chau Thuan

Lifted Filtering via Exchangeable Decomposition/ **5067**

Stefan Lüdtke, Max Schröder, Sebastian Bader, Kristian Kersting, Thomas KIRSTE

Stochastic Anytime Search for Bounding Marginal MAP/ **5074**

Radu Marinescu, Rina Dechter, Alexander Ihler

Estimation with Incomplete Data: The Linear Case/ **5082**

Karthika Mohan, Felix Thoenes, Judea Pearl

Reliable Multi-class Classification based on Pairwise Epistemic and Aleatoric Uncertainty/ **5089**

Vu-Linh Nguyen, Sébastien Destercke, Marie-Hélène Masson, Eyke Hüllermeier

Algorithms for the Nearest Assignment Problem/ **5096**

Sara Rouhani, Tahrima Rahman, Vibhav Gogate

A Symbolic Approach to Explaining Bayesian Network Classifiers/ **5103**

Andy Shih, Arthur Choi, Adnan Darwiche

Scalable Probabilistic Causal Structure Discovery/ **5112**

Dhanya Sridhar, Jay Pujara, Lise Getoor

A Scalable Scheme for Counting Linear Extensions/ **5119**

Topi Talvitie, Kustaa Kangas, Teppo Niinimäki, Mikko Koivisto

Mixed Causal Structure Discovery with Application to Prescriptive Pricing/ **5126**

Wei Wenjuan, Feng Lu, Liu Chunchen

A Savage-style Utility Theory for Belief Functions/ **5135**

Chunlai Zhou, Biao Qin, Xiaoyong Du

Evolution of the contours of AI

On a Scientific Discipline (Once) Named AI/ **5143**

Wolfgang Bibel

Towards Consumer-Empowering Artificial Intelligence/ **5150**

Giuseppe Contissa, Francesca Lagioia, Marco Lippi, Hans-Wolfgang Micklitz, Przemyslaw Palka, Giovanni Sartor, Paolo Torrioni

Artificial Intelligence Conferences Closeness/ **5158**

Sébastien Konieczny, Emmanuel Lonca

Quantifying Algorithmic Improvements over Time/ **5165**

Lars Kotthoff, Alexandre Fréchet, Tomasz Michalak, Talal Rahwan, Holger H. Hoos, Kevin Leyton-Brown

Evolving AI from Research to Real Life – Some Challenges and Suggestions/ **5172**

Sandya Mannarswamy, Shourya Roy

The Facets of Artificial Intelligence: A Framework to Track the Evolution of AI/ **5180**

Fernando Martínez-Plumed, Bao Sheng Loe, Peter Flach, Seán Ó hÉigeartaigh, Karina Vold, José Hernández-Orallo

Best Sister Conferences Track

Finite Controllability of Conjunctive Query Answering with Existential Rules: Two Steps Forward/ **5189**

Giovanni Amendola, Nicola Leone, Marco Manna

Weighted Bipolar Argumentation Graphs: Axioms and Semantics/ **5194**

Leila Amgoud, Jonathan Ben-Naim

TensorCast: Forecasting Time-Evolving Networks with Contextual Information/ **5199**

Miguel Araújo, Pedro Ribeiro, Christos Faloutsos

A Unifying View of Geometry, Semantics, and Data Association in SLAM/ **5204**

Nikolay Atanasov, Sean L. Bowman, Kostas Daniilidis, George J. Pappas

Reduced Cost Fixing for Maximum Satisfiability/ **5209**

Fahiem Bacchus, Antti Hyttinen, Matti Järvisalo, Paul Saikko

Improving Information Extraction from Images with Learned Semantic Models/ **5214**

Stephan Baier, Yunpu Ma, Volker Tresp

Learning with Sparse and Biased Feedback for Personal Search/ **5219**

Michael Bendersky, Xuanhui Wang, Marc Najork, Donald Metzler

Dynamic Dependency Awareness for QBF/ **5224**

Joshua Blinkhorn, Olaf Beyersdorff

The Finite Model Theory of Bayesian Networks: Descriptive Complexity/ **5229**

Fabio Gagliardi Cozman, Denis Deratani Mauá

Combinatorial Cost Sharing/ **5234**

Shahar Dobzinski, Shahar Ovdia

Importance Sampling for Fair Policy Selection/ **5239**

Shayan Doroudi, Philip S. Thomas, Emma Brunskill

Inductive Certificates of Unsolvability for Domain-Independent Planning/ **5244**

Salomé Eriksson, Gabriele Röger, Malte Helmert

Reducing Controversy by Connecting Opposing Views/ **5249**

Kiran Garimella, Gianmarco De Francisci Morales, Aristides Gionis, Michael Mathioudakis

Toeplitz Inverse Covariance-based Clustering of Multivariate Time Series Data/ **5254**

David Hallac, Sagar Vare, Stephen Boyd, Jure Leskovec

A Model of Distributed Query Computation in Client-Server Scenarios on the Semantic Web/ **5259**

Olaf Hartig, Ian Letter, Jorge Pérez

- Translation-based Recommendation: A Scalable Method for Modeling Sequential Behavior/ **5264**
Ruining He, Wang-Cheng Kang, Julian McAuley
- Search Progress and Potentially Expanded States in Greedy Best-First Search/ **5269**
Manuel Heusner, Thomas Keller, Malte Helmert
- Accelerating Innovation Through Analogy Mining/ **5274**
Tom Hope, Joel Chan, Aniket Kittur, Dafna Shahaf
- Make Evasion Harder: An Intelligent Android Malware Detection System/ **5279**
Shifu Hou, Yanfang Ye, Yangqiu Song, Melih Abdulhayoglu
- Unbiased Learning-to-Rank with Biased Feedback/ **5284**
Thorsten Joachims, Adith Swaminathan, Tobias Schnabel
- Orchestrating a Network of Mereotopological Theories: An Abridged Report/ **5289**
C. Maria Keet, Oliver Kutz
- Emergent Tangled Program Graphs in Multi-Task Learning/ **5294**
Stephen Kelly, Malcolm Heywood
- Geolocating Images with Crowdsourcing and Diagramming/ **5299**
Rachel Kohler, John Purviance, Kurt Luther
- Counterexample-Driven Genetic Programming: Stochastic Synthesis of Provably Correct Programs/ **5304**
Krzysztof Krawiec, Iwo Błądek, Jerry Swan, John H. Drake
- Attributed Description Logics: Reasoning on Knowledge Graphs/ **5309**
Markus Krötzsch, Maximilian Marx, Ana Ozaki, Veronika Thost
- Multi-Robot Motion Planning with Dynamics Guided by Multi-Agent Search/ **5314**
Duong Le, Erion Plaku
- An Empirical Study of Branching Heuristics through the Lens of Global Learning Rate/ **5319**
Jia Liang, Hari Govind, Pascal Poupart, Krzysztof Czarnecki, Vijay Ganesh
- Inhibition of Occluded Facial Regions for Distance-Based Face Recognition/ **5324**
Daniel López Sánchez, Juan M. Corchado, Angelica González Arrieta
- Cost-Based Goal Recognition for the Path-Planning Domain/ **5329**
Peta Masters, Sebastian Sardina
- Distributing Frank-Wolfe via Map-Reduce/ **5334**
Armin Moharrer, Stratis Ioannidis
- Completeness-aware Rule Learning from Knowledge Graphs/ **5339**
Thomas Pellissier Tanon, Daria Stepanova, Simon Razniewski, Paramita Mirza, Gerhard Weikum
- The Intricacies of Three-Valued Extensional Semantics for Higher-Order Logic Programs/ **5344**
Panos Rondogiannis, Ioanna Symeonidou
- Evaluating and Complementing Vision-to-Language Technology for People who are Blind with Conversational Crowdsourcing/ **5349**

Elliot Salisbury, Ece Kamar, Meredith Ringel Morris

Recursive Spoken Instruction-Based One-Shot Object and Action Learning/ **5354**

Matthias Scheutz, Evan Krause, Bradley Oosterveld, Tyler Frasca, Robert Platt

An Efficient Minibatch Acceptance Test for Metropolis-Hastings/ **5359**

Daniel Seita, Xinlei Pan, Haoyu Chen, John Canny

Marathon Race Planning: A Case-Based Reasoning Approach/ **5364**

Barry Smyth, Pdraig Cunningham

A Genetic Programming Approach to Designing Convolutional Neural Network Architectures/ **5369**

Masanori Suganuma, Shinichi Shirakawa, Tomoharu Nagao

Tamper-Proof Privacy Auditing for Artificial Intelligence Systems/ **5374**

Andrew Sutton, Reza Samavi

Multi-Objective Optimization Through Pareto Minimal Correction Subsets/ **5379**

Miguel Terra-Neves, Inês Lynce, Vasco Manquinho

Operator Counting Heuristics for Probabilistic Planning/ **5384**

Felipe Trevizan, Sylvie Thiébaux, Patrik Haslum

Generating High Resolution Climate Change Projections through Single Image Super-Resolution: An Abridged Version/ **5389**

Thomas Vandal, Evan Kodra, Sangram Ganguly, Andrew Michaelis, Ramakrishna Nemani, Auroop R Ganguly

Greedy Stone Tower Creations with a Robotic Arm/ **5394**

Martin Wermelinger, Fadri Furrer, Hironori Yoshida, Fabio Gramazio, Matthias Kohler, Roland Siegwart, Marco Hutter

Bridging the Gap Between Theory and Practice in Influence Maximization: Raising Awareness about HIV among Homeless Youth/ **5399**

Amulya Yadav, Bryan Wilder, Eric Rice, Robin Petering, Jaih Craddock, Amanda Yoshioka-Maxwell, Mary Hemler, Laura Onasch-Vera, Milind Tambe, Darlene Woo

A Conversational Approach to Process-oriented Case-based Reasoning/ **5404**

Christian Zeyen, Gilbert Müller, Ralph Bergmann

Modeling the Assimilation-Contrast Effects in Online Product Rating Systems: Debiasing and Recommendations/ **5409**

Xiaoying Zhang, Hong Xie, Junzhou Zhao, John C.S. Lui

Time Series Chains: A Novel Tool for Time Series Data Mining/ **5414**

Yan Zhu, Makoto Imamura, Daniel Nikovski, Eamonn Keogh

Survey Track

Recent Advances in Querying Probabilistic Knowledge Bases/ **5420**

Stefan Borgwardt, İsmail İlkan Ceylan, Thomas Lukasiewicz

Five Years of Argument Mining: a Data-driven Analysis/ **5427**

Elena Cabrio, Serena Villata

Robust Multi-view Representation: A Unified Perspective from Multi-view Learning to Domain Adaption/ **5434**

Zhengming Ding, Ming Shao, Yun Fu

AGI Safety Literature Review/ **5441**
Tom Everitt, Gary Lea, Marcus Hutter

Evaluation Techniques and Systems for Answer Set Programming: a Survey/ **5450**
Martin Gebser, Nicola Leone, Marco Maratea, Simona Perri, Francesco Ricca, Torsten Schaub

Maintenance of Case Bases: Current Algorithms after Fifty Years/ **5457**
Jose M. Juarez, Susan Craw, J. Ricardo Lopez-Delgado, Manuel Campos

Systems AI: A Declarative Learning Based Programming Perspective/ **5464**
Parisa Kordjamshidi, Dan Roth, Kristian Kersting

Boosting Combinatorial Problem Modeling with Machine Learning/ **5472**
Michele Lombardi, Michela Milano

Event Coreference Resolution: A Survey of Two Decades of Research/ **5479**
Jing Lu, Vincent Ng

Autonomously Reusing Knowledge in Multiagent Reinforcement Learning/ **5487**
Felipe Leno Da Silva, Matthew E. Taylor, Anna Helena Reali Costa

Stackelberg Security Games: Looking Beyond a Decade of Success/ **5494**
Arunesh Sinha, Fei Fang, Bo An, Christopher Kiekintveld, Milind Tambe

Advancements in Dueling Bandits/ **5502**
Yanan Sui, Masrour Zoghi, Katja Hofmann, Yisong Yue

Ontology-Based Data Access: A Survey/ **5511**
Guohui Xiao, Diego Calvanese, Roman Kontchakov, Domenico Lembo, Antonella Poggi, Riccardo Rosati, Michael Zakharyashev

”Chitty-Chitty-Chat Bot”: Deep Learning for Conversational AI/ **5520**
Rui Yan

Building Ethics into Artificial Intelligence/ **5527**
Han Yu, Zhiqi Shen, Chunyan Miao, Cyril Leung, Victor R. Lesser, Qiang Yang

Affective Image Content Analysis: A Comprehensive Survey/ **5534**
Sicheng Zhao, Guiguang Ding, Qingming Huang, Tat-Seng Chua, Björn W. Schuller, Kurt Keutzer

Journal Track

Incentive-Compatible Mechanisms for Norm Monitoring in Open Multi-Agent Systems (Extended Abstract)/ **5543**
Natasha Alechina, Joseph Y. Halpern, Ian A. Kash, Brian Logan

MCTS-Minimax Hybrids with State Evaluations (Extended Abstract)/ **5548**
Hendrik Baier, Mark H. M. Winands

A COP Model for Graph-Constrained Coalition Formation (Extended Abstract)/ **5553**
Filippo Bistaffa, Alessandro Farinelli

On the Logical Properties of the Description Logic $DL^{\wedge N}$ (Extended abstract)/ **5558**
Piero A. Bonatti, Luigi Sauro

Solving Multi-Agent Path Finding on Strongly Biconnected Digraphs (Extended Abstract)/ **5563**

Adi Botea, Davide Bonusi, Pavel Surynek

Enhancing Context Knowledge Repositories with Justifiable Exceptions (Extended Abstract)/ **5568**

Loris Bozzato, Thomas Eiter, Luciano Serafini

Revisiting the Arcade Learning Environment: Evaluation Protocols and Open Problems for General Agents (Extended Abstract)/ **5573**

Marlos C. Machado, Marc G. Bellemare, Erik Talvitie, Joel Veness, Matthew Hausknecht, Michael Bowling

On the Equivalence between Assumption-Based Argumentation and Logic Programming (Extended Abstract)/ **5578**

Martin Caminada, Claudia Schulz

From Feature to Paradigm: Deep Learning in Machine Translation (Extended Abstract)/ **5583**

Marta R. Costa-jussà

Prime Implicate Generation in Equational Logic (extended abstract)/ **5588**

Mnacho Echenim, Nicolas Peltier, Sophie Tourret

Preference-Based Inconsistency Management in Multi-Context Systems (Extended Abstract)/ **5593**

Thomas Eiter, Antonius Weinzierl

Learning Explanatory Rules from Noisy Data (Extended Abstract)/ **5598**

Richard Evans, Edward Grefenstette

Fact-Alternating Mutex Groups for Classical Planning (Extended Abstract)/ **5603**

Daniel Fišer, Antonín Komenda

Complexity of n-Queens Completion (Extended Abstract)/ **5608**

Ian P. Gent, Christopher Jefferson, Peter Nightingale

Constrained Coalition Formation on Valuation Structures: Formal Framework, Applications, and Islands of Tractability (Extended Abstract)/ **5612**

Gianluigi Greco, Antonella Guzzo

Visualisation and 'Diagnostic Classifiers' Reveal how Recurrent and Recursive Neural Networks Process Hierarchical Structure (Extended Abstract)/ **5617**

Dieuwke Hupkes, Willem Zuidema

Linear Satisfiability Preserving Assignments (Extended Abstract)/ **5622**

Kei Kimura, Kazuhisa Makino

Three-Valued Semantics for Hybrid MKNF Knowledge Bases Revisited (Extended Abstract)/ **5627**

Fangfang Liu, Jia-Huai You

Impossibility in Belief Merging (Extended Abstract)/ **5632**

Amilcar Mata Diaz, Ramon Pino Perez

Rademacher Complexity Bounds for a Penalized Multi-class Semi-supervised Algorithm (Extended Abstract)/ **5637**

Yury Maximov, Massih-Reza Amini, Zaid Harchaoui

Lightweight Random Indexing for Polylingual Text Classification (Extended Abstract)/ **5642**

Alejandro Moreo Fernández, Andrea Esuli, Fabrizio Sebastiani

Distributional Correspondence Indexing for Cross-Lingual and Cross-Domain Sentiment Classification (Extended Abstract)/

5647

Alejandro Moreo Fernández, Andrea Esuli, Fabrizio Sebastiani

Viewpoint: Artificial Intelligence and Labour/ **5652**

Spyridon Samothrakis

Learning Continuous Time Bayesian Networks in Non-stationary Domains/ **5656**

Simone Villa, Fabio Stella

Early Career

Decision-Making Under Uncertainty in Multi-Agent and Multi-Robot Systems: Planning and Learning/ **5662**

Christopher Amato

Statistical Quality Control for Human Computation and Crowdsourcing/ **5667**

Yukino Baba

Reasoning about NP-complete Constraints/ **5672**

Emmanuel Hebrard

Mental Health Computing via Harvesting Social Media Data/ **5677**

Jia Jia

Towards Human-Engaged AI/ **5682**

Xiaojuan Ma

Grounded Language Learning: Where Robotics and NLP Meet/ **5687**

Cynthia Matuszek

Formal Analysis of Deep Binarized Neural Networks/ **5692**

Nina Narodytska

Natural Language Understanding: Instructions for (Present and Future) Use/ **5697**

Roberto Navigli

Interactive Learning and Decision Making: Foundations, Insights & Challenges/ **5703**

Frans A. Oliehoek

Improving Data Management using Domain Knowledge/ **5709**

Magdalena Ortiz

Partakable Technology/ **5714**

Nardine Osman

Advances and Challenges in Privacy Preserving Planning/ **5719**

Guy Shani

Improving Reinforcement Learning with Human Input/ **5724**

Matthew E. Taylor

Artificial Argumentation for Humans/ **5729**

Serena Villata

Towards Improving the Expressivity and Scalability of Distributed Constraint Optimization Problems/ **5734**

William Yeoh

Towards Sample Efficient Reinforcement Learning/ 5739

Yang Yu

Mining Streaming and Temporal Data: from Representation to Knowledge/ 5744

Xiangliang Zhang

Engineering Graph Features via Network Functional Blocks/ 5749

Vincent W. Zheng

Probabilistic Machine Learning: Models, Algorithms and a Programming Library/ 5754

Jun Zhu

Doctoral Consortium

Handling Uncertainty in Recommender Systems under the Belief Function Theory/ 5761

Raoua Abdelkhalek

AI for Conservation: Aerial Monitoring to Learn and Plan against Illegal Actors/ 5763

Elizabeth Bondi

Learning Portable Symbolic Representations/ 5765

Steven James

Restricted Communication in Online Multi-Robot Exploration/ 5767

Elizabeth A. Jensen

Intelligent Decision Support for Human Team Planning/ 5769

Joseph Kim

Optimal Multi-robot Task Planning: from Synthesis to Execution (and Back)/ 5771

Francesco Leofante

Data-driven Onboard Scheduling for an Autonomous Observation Satellite/ 5773

Chao Li, Patrick De Causmaecker, Yingwu Chen

Connecting Low-Level Image Processing and High-Level Vision via Deep Learning/ 5775

Ding Liu

Identifying Differences in Social Responsiveness among Preschoolers Interacting with or Watching Social Robots/ 5777

Marie D. Manner

Multi-Agent Election-Based Hyper-Heuristics/ 5779

Vinicius Renan de Carvalho, Jaime Simão Sichman

Deception/ 5781

Stefan Sarkadi

Optimal Multi-Attribute Decision Making in Social Choice Problems/ 5783

Sujoy Sikdar

Conversational Explanations of Machine Learning Predictions Through Class-contrastive Counterfactual Statements/ 5785

Kacper Sokol, Peter Flach

Bringing Multi-agent Path Finding Closer to Reality/ **5787**

Jiří Švancara

Learning and Communicating the Latent States of Human-Machine Collaboration/ **5789**

Vaibhav V. Unhelkar, Julie A. Shah

Machine Learning Approaches to Reduce Electrical Waste and Improve Power Grid Stability/ **5791**

Mark Valovage

Algorithmic Social Intervention/ **5793**

Bryan Wilder

Demonstrations

Hatebusters: A Web Application for Actively Reporting YouTube Hate Speech/ **5796**

Antonios Anagnostou, Ioannis Mollas, Grigorios Tsoumakas

Repairing ASR output by Artificial Development and Ontology based Learning/ **5799**

C. Anantaram, Amit Sangroya, Mrinal Rawat, Aishwarya Chhabra

Using Contextual Bandits with Behavioral Constraints for Constrained Online Movie Recommendation/ **5802**

Avinash Balakrishnan, Djallel Bouneffouf, Nicholas Mattei, Francesca Rossi

Instructing Novice Users on How to Use Tools in DIY Projects/ **5805**

Gregor Behnke, Marvin Schiller, Matthias Kraus, Pascal Bercher, Mario Schmautz, Michael Dorna, Wolfgang Minker, Birte Glimm, Susanne Biundo

Intelligent Assistant for Elderly/ **5808**

Jani Bizjak, Anton Gradišek, Matjaž Gams

Generating Plans for Cooperative Connected UAVs/ **5811**

François Bodin, Tristan Charrier, Arthur Queffelec, François Schwarzenruber

Near Real-Time Detection of Poachers from Drones in AirSim/ **5814**

Elizabeth Bondi, Ashish Kapoor, Debadepta Dey, James Piavis, Shital Shah, Robert Hannaford, Arvind Iyer, Lucas Joppa, Milind Tambe

SynKit: LTL Synthesis as a Service/ **5817**

Alberto Camacho, Christian Muişe, Jorge A. Baier, Sheila A. McIlraith

Visualizations for an Explainable Planning Agent/ **5820**

Tathagata Chakraborti, Kshitij P. Fadnis, Kartik Talamadupula, Mishal Dholakia, Biplav Srivastava, Jeffrey O. Kephart, Rachel K. E. Bellamy

Pyconstruct: Constraint Programming Meets Structured Prediction/ **5823**

Paolo Dragone, Stefano Teso, Andrea Passerini

TuringBox: An Experimental Platform for the Evaluation of AI Systems/ **5826**

Ziv Epstein, Blakeley H. Payne, Judy Hanwen Shen, Casey Jisoo Hong, Bjarke Felbo, Abhimanyu Dubey, Matthew Groh, Nick Obradovich, Manuel Cebrian, Iyad Rahwan

Solving Sudoku with Consistency: A Visual and Interactive Approach/ **5829**

Ian Howell, Robert Woodward, Berthe Y. Choueiry, Christian Bessiere

CISA: Chinese Information Structure Analysis for Scientific Writing with Cross-lingual Adversarial Learning/ **5832**
Hen-Hsen Huang, Hsin-Hsi Chen

Balanced News Using Constrained Bandit-based Personalization/ **5835**
Sayash Kapoor, Vijay Keswani, Nisheeth K. Vishnoi, L. Elisa Celis

A Wearable Device for Online and Long-Term ECG Monitoring/ **5838**
Marco Longoni, Diego Carrera, Beatrice Rossi, Pasqualina Fragneto, Marco Pessione, Giacomo Boracchi

Digitalized Cognitive Assessment mediated by a Virtual Caregiver/ **5841**
Matteo Luperto, Marta Romeo, Francesca Lunardini, Nicola Basilico, Ray Jones, Angelo Cangelosi, Simona Ferrante, N. Alberto Borghese

Aesop: A Visual Storytelling Platform for Conversational AI/ **5844**
Tim Meo, Aswin Raghavan, David A. Salter, Alex Tozzo, Amir Tamrakar, Mohamed Amer

Semantic Representation of Data Science Programs/ **5847**
Evan Patterson, Ioana Baldini, Aleksandra Mojsilović, Kush R. Varshney

Multi-Sensor Mobile Platform for the Recognition of Activities of Daily Living and their Environments based on Artificial Neural Networks/ **5850**
Ivan Miguel Pires, Nuno Pombo, Nuno M. Garcia, Francisco Flórez-Revuelta

Extracting Latent Beliefs and using Epistemic Reasoning to Tailor a Chatbot/ **5853**
Amit Sangroya, C. Anantaram, Pratik Saini, Mrinal Rawat

Data-Driven Inventory Management and Dynamic Pricing Competition on Online Marketplaces/ **5856**
Rainer Schlosser, Carsten Walther, Martin Boissier, Matthias Uflacker

Hintikka's World: Agents with Higher-order Knowledge/ **5859**
François Schwarzentruber

A Virtual Environment with Multi-Robot Navigation, Analytics, and Decision Support for Critical Incident Investigation/ **5862**
David L. Smyth, James Fennell, Sai Abinеш, Nazli B. Karimi, Frank G. Glavin, Ihsan Ullah, Brett Drury, Michael G. Madden

IBM Scenario Planning Advisor: Plan Recognition as AI Planning in Practice/ **5865**
Shirin Sohrobi, Michael Katz, Oktie Hassanzadeh, Octavian Udrea, Mark D. Feblowitz

Glass-Box: Explaining AI Decisions With Counterfactual Statements Through Conversation With a Voice-enabled Virtual Assistant/ **5868**
Kacper Sokol, Peter Flach

Medusa: Towards Simulating a Multi-Agent Hide-and-Seek Game/ **5871**
Akshat Tandon, Kamalakar Karlapalem

Readitopics: Make Your Topic Models Readable via Labeling and Browsing/ **5874**
Julien Velcin, Antoine Gourru, Erwan Giry-Fouquet, Christophe Gravier, Mathieu Roche, Pascal Poncelet

Automated Reasoning for City Infrastructure Maintenance Decision Support/ **5877**
Lijun Wei, Derek R. Magee, Vania Dimitrova, Barry Clarke, Heshan Du, Quratul-ain Mahesar, Kareem Al Ammari, Anthony G. Cohn

Using a Deep Learning Dialogue Research Toolkit in a Multilingual Multidomain Practical Application/ **5880**

Graham Wilcock

Curly: An AI-based Curling Robot Successfully Competing in the Olympic Discipline of Curling/ **5883**
Dong-Ok Won, Byung-Do Kim, Ho-Jung Kim, Tae-San Eom, Klaus-Robert Müller, Seong-Whan Lee

On Fair Price Discrimination in Multi-Unit Markets

Michele Flammini^{1,2}, Manuel Mauro¹, Matteo Tonelli¹

¹ Gran Sasso Science Institute, L'Aquila, Italy

² University of L'Aquila, L'Aquila, Italy

michele.flammini@univaq.it, manuel.mauro@gssi.it, matteo.tonelli@gssi.it

Abstract

Discriminatory pricing policies, even if at first glance can be perceived as unfair, are widespread. In fact, pricing differences for the same item among different national markets are common, or forms of discrimination based on the time of purchase, like in tickets' sales. In this work we propose a framework for capturing the setting of "fair" discriminatory pricing and study its application to multi-unit markets, in which many copies of the same item are on sale. Our model is able to incorporate the fundamental discrimination settings proposed in the literature, by expressing individual buyers constraints for assigning prices by means of a social relationship graph, modeling the information that each buyer can acquire about the prices assigned to the other buyers. After pointing out the positive effects of fair price discrimination, we investigate the computational complexity of maximizing the social welfare and the revenue in these markets, providing hardness and approximation results under various assumptions on the buyers valuations and on the social graph topology.

1 Introduction

Charging customers different prices for the same item can be perceived as unfair at first, but it is actually widespread. As an example, when buying flight tickets, customers who arrive earlier usually get a better price. In an opposite way, the price of electronic devices like computers and cameras decreases over time. Beside this form of *temporal* discrimination, *spatial* discrimination is also consolidated in the sale of the same good with varying prices at different sites, like in different countries or shops. The lack of knowledge of the prices offered at different locations is often modeled in the literature as a *cost of search*, that is the cost that buyers have to pay in order to get information about the different prices at the various sites. Exploiting this cost, a firm is able to discriminate on subsets of buyers on the base of their mutual distances. A further type of discrimination occurs in users profiling, when premium customers such as frequent-flyers are charged lower prices with respect to the general public, or

when some classes of buyers are recognized to be eligible for a better treatment, such as age discounts or financial aids.

Nice introductions on price discrimination together with the main arising scenarios and the related motivation can be found in [Varian, 1989; Philips, 1983; Stokey, 1979; Laffont *et al.*, 1998]. An interesting classification is due to A. Pigou in [Pigou, 1920], who detected the following three classes:

- *First-degree* or *perfect* price discrimination, where the seller is admitted to set a different price for each unit of good, so as to perfectly adapt to each buyer's willingness to buy the item.

- *Second-degree* or *non-linear* pricing, also known as bundle pricing, in which the seller is able to set a price based on the amount of items purchased by a single buyer, e.g. a smaller price per item for buyers who buy a bigger amount.

- *Third-degree* price discrimination, in which different buyers may be charged different linear prices, that is they are asked a fixed price per item which may be different from the one of the other buyers. Examples are student discounts or charging different prices in different days of the week.

The problem of maximizing the seller's revenue in combinatorial markets under the notion of envy-freeness has been widely investigated. Important works in the field are [Guruswami *et al.*, 2005; Hartline and Yan, 2011; Cheung and Swamy, 2008; Balcan *et al.*, 2008; Briest and Krysta, 2006], in which the authors designed logarithmic approximation algorithms under different assumptions. On the other hand, related hardness results were given by [Briest, 2008; Chalermsook *et al.*, 2012; 2013b; 2013a; Demaine *et al.*, 2008]. Further variants were considered by [Chen and Deng, 2010; Chen *et al.*, 2011; Feldman *et al.*, 2012; Anshelevich *et al.*, 2017; Bilò *et al.*, 2017; Chen *et al.*, 2016].

All these works did not consider discriminatory policies, or are related only to the second-degree discrimination, which is a somewhat weaker form of discrimination, as each bundle must be offered at the same (even if not linear) price to all the buyers in the market. Therefore, in this paper we focus on the more proper forms of discrimination related to the first- and third-degree scenarios. In particular, we introduce a unifying framework for "fair" discrimination pricing policies, which takes into account individual constraints among the buyers induced by their social relationships or by the information they can acquire about the other buyers. Namely, an arc from buyer i to buyer k indicates that i knows k or has access to the same buying strategy without paying any search

cost, for instance buying at the same site. Then, in order for i to be satisfied or feel to be treated fairly, i can only be offered the same or a lower price for the same good with respect to k . Our framework is very general, as by modifying the structure of the graph is in turn able to incorporate in a unified setting all the fundamental “fair” price discrimination forms proposed in the literature, including the first- and third-degree ones. For instance, a directed chain of arcs can express temporal dependencies, undirected social graphs can model in a nice way spatial discrimination through the submarkets induced by their connected components, and directed trees of strongly connected components the hierarchical profiling of classes of users.

Under the above setting, we investigate the case of a single item on sale in a limited amount of copies, which is usually referred to as a multi-unit market and represents many real world scenarios (e.g. commodity markets) [Feldman *et al.*, 2012; Brânzei *et al.*, 2016; Monaco *et al.*, 2015]. More precisely, we have a single seller who is willing to sell m identical copies to n buyers, who are interested in buying one or more copies. Buyers have a valuation function which describes how much they are willing to spend for each given number of copies, and resorting on these valuations the seller must decide what is the price per copy and the allocation. The multi-unit scenario considered by the above papers allows only to assign the same price per copy to all buyers, or in case of bundle pricing different non-linear prices to bundles containing a certain number of identical items. In any case, the same bundle must be offered at the same price to all the buyers.

1.1 Our Contribution

In this paper, we study the problem of maximizing the social welfare or the seller’s revenue by means of fair price discrimination in multi-unit markets according to the above framework. Namely, the price per copy of each buyer must be at most the lowest proposed to the buyers she knows directly. We investigate four different cases arising by considering *i.* social welfare and revenue maximization, and *ii.* single-minded and general valuations, that is when buyers are interested only in a specific amount of item copies, or do not have any restriction. Moreover, we consider different relevant social graph topologies.

We first point out that the gain from discrimination can be considerable. In fact, it can increase the seller’s revenue or the social welfare up to a multiplicative factor equal to the number of item copies. We then provide polynomial time algorithms or hardness and approximation results in all the above mentioned cases.

More precisely, for single minded buyers, we show that the problems of maximizing the social welfare and the revenue are strongly NP-Hard. We then provide a polynomial time 2-approximation algorithm for the social welfare maximization and an $O(\log n)$ -approximation one for the revenue. Finally, still for the revenue maximization, we give an improved $(2 + \varepsilon)$ -approximation for the case of undirected social graphs.

For general valuations, we first provide a general construction able to reduce the corresponding instances into “nearly” equivalent single-minded ones. More precisely, the solutions

provided by our single minded approximation algorithms for the reduced instances can be transformed into solutions for the initial instances without performance losses. Therefore, we again achieve a 2-approximation for the social welfare maximization and an $O(\log n + \log m)$ one for the revenue, $n \cdot m$ being the number of buyers in the reduced instances. We remark that our reduction is also of independent interest, as it might be exploited in other settings for extending results from single-minded to general multi-unit instances.

Finally, we provide polynomial time optimal algorithms for all the realistic cases mentioned before, that is for undirected social graphs, graphs with a constant number of strongly connected components, and arborescences or directed trees of strongly connected components.

1.2 Related Work

Envy-freeness in multi-unit markets has already been investigated in [Feldman *et al.*, 2012], where the authors studied the case of budgeted buyers and gave a hardness result together with a constant approximation algorithm for the problem of finding an allocation of optimal revenue. Later on [Monaco *et al.*, 2015; Brânzei *et al.*, 2016] investigated the problem with slightly different assumptions, providing several hardness and approximation results. In particular, [Monaco *et al.*, 2015] considered revenue maximization in multi-unit markets under both the notion of *envy-freeness* and *pair envy-freeness*, both for item- and bundle-pricing. In this work we refer to the notion of *envy-freeness* given in [Guruswami *et al.*, 2005].

The social influence over the set of buyers of a market has been recently studied in [Abebe *et al.*, 2017; Chevaleyre *et al.*, 2007; Flammini *et al.*, 2018], where the authors generalized the concept of pair envy-freeness in the context of limited mutual knowledge of the buyers, restricting the pair envy-freeness constraints only to social neighbors. These works applied such a notion of social (or local) envy-freeness to the problems of cake cutting, distributed negotiation, and multi-unit markets. Notice that, despite the apparent similarity of our model with the one in [Flammini *et al.*, 2018], which considers multi-unit markets with social graphs, even if some of our techniques are inspired to such a paper, our results refer to a completely different setting, as sociality influences discrimination of prices and not relaxations of the envy-freeness constraints. Finally, [Bilò *et al.*, 2017; Bilò *et al.*, 2018] considered the possibility of limiting the view of some buyers, not admitting them in the market. This concept is somewhat related to sociality, as it translates in limiting the social awareness of buyers acting on the social graph topology. In all the above cases, social graphs have been exploited to induce relaxed notions of envy-freeness.

Forms of price discrimination induced by social relationships have been considered in [Alon *et al.*, 2013], where buyers who are neighbors in the social graph demand a difference of their proposed prices bounded by a parameter α . Several results on revenue maximization are provided under different assumptions, such as the possibility of excluding some buyers. Furthermore, [Amanatidis *et al.*, 2016] extended such results to a generalized model having a non empty overlap with the multi-unit markets with single-minded valuations herein considered. However, the two settings are different, since on

the one hand we consider additional supply and envy-freeness constraints, on the other hand they admit a certain tolerance in the discrimination due to the parameter α . Moreover, we also investigate the case of general valuations.

Finally, [Feldman *et al.*, 2012] mentioned the possibility of considering, besides bundling, other forms of “unfair” price discrimination, together with their potential positive effects on revenue maximization. Although the topic has been widely addressed in economics [Phlips, 1983; Stokey, 1979; Laffont *et al.*, 1998], we believe that fair discrimination policies induced by social relationships have not been sufficiently investigated in the context of envy-free pricing and are the focus of the present work.

2 Preliminaries

A multi-unit market η can be represented by a tuple $(N, M, (v_i)_{i \in N})$, where $N = \{1, \dots, n\}$ is a set of n buyers, M is a set of m identical items and for every buyer $i \in N$, $v_i = (v_i(1), \dots, v_i(m))$ is a valuation function or vector which expresses, given a subset of items $X \subseteq M$ of size j , the amount of money $v_i(j) \in \mathbb{R}$ that buyer i is willing to pay for X . We assume that $v_i(0) = 0$ and $v_i(j) \geq 0$ for every j , $1 \leq j \leq m$ and buyer $i \in N$.

We distinguish the following two different cases, according to the imposed restrictions on the valuation functions: *single-minded*, with buyers interested only in a certain amount of items and thus having positive valuation only for bundles of such a size, and *general valuations*, i.e., the unrestricted case. In the sequel, when dealing with single-minded valuations, we will denote by m_i the unique *preferred* bundle size for which buyer i has a strictly positive valuation.

Since items in M are identical, we consider the pricing scheme called *item-pricing*, in which the seller must assign a single non-negative price per item $p_i \in \mathbb{R}$ to each buyer i . The amount owed by i for a bundle of items X is thus $p_i \cdot |X|$, so that her utility for receiving X is $u_i(X, p_i) = v_i(|X|) - p_i \cdot |X|$. In the sequel we will denote by $\bar{p} = (p_1, \dots, p_n)$ the *price vector* or n -tuple such that for every i , $1 \leq i \leq n$, $p_i \geq 0$ is the price per item assigned to buyer i .

We assume that buyers in N are individuals of a population, whose relationships are represented by an underlying directed social graph $G = (N, E)$. Each buyer $i \in N$ is aware only of the prices proposed to the other buyers she knows directly, that is belonging to the subset $N(i) = \{k \in N \mid (i, k) \in E\}$ of her neighbors in G . Under such an assumption, it is possible to define the following notion of fair price discrimination.

Definition 1. A price vector \bar{p} is *fair* with respect to the social graph $G = (N, E)$ if $p_i \leq p_k$ for every $(i, k) \in E$.

An *allocation vector* is an n -tuple $\bar{X} = (X_1, \dots, X_n)$ such that $X_i \subseteq M$ is the set of items sold to buyer i .

A *feasible* outcome for market η is a pair (\bar{X}, \bar{p}) satisfying the following supply constraint: $\sum_{i=1}^n |X_i| \leq m$.

We say that a feasible outcome (\bar{X}, \bar{p}) for market η is *envy-free* if $X_i \in \operatorname{argmax}_{X \subseteq M} u_i(X, p_i)$ for every buyer $i \in N$. Notice that, for every $i \in N$, since $v_i(0) = 0$, envy-freeness implies the classical assumption of individual rationality of the buyers, that is $u_i(X_i, p_i) \geq 0$.

Definition 2. A feasible outcome (\bar{X}, \bar{p}) is *fair* under the social graph G if it is envy-free and its price vector is fair with respect to G .

Given an outcome (\bar{X}, \bar{p}) , the achieved social welfare is $sw(\bar{X}, \bar{p}) = \sum_{i=1}^n v_i(|X_i|)$ and the revenue raised by the seller is $r(\bar{X}, \bar{p}) = \sum_{i=1}^n p_i \cdot |X_i|$. The (fair) *pricing problem* consists in determining a feasible outcome (\bar{X}, \bar{p}) for market η , which is fair under G and maximize social welfare or revenue. In the following we will denote by $opt_{sw}(\eta, G)$ (resp. $opt_r(\eta, G)$) the maximum possible social welfare (resp. revenue) achievable by an outcome for η fair under G , and $opt_{sw}(\eta)$ (resp. $opt_r(\eta)$) be the highest possible one achievable without price discrimination, or analogously by an outcome fair under the complete social graph. Clearly, by the individual rationality constraint, in any feasible outcome (\bar{X}, \bar{p}) , $sw(\bar{X}, \bar{p}) \geq r(\bar{X}, \bar{p})$, so that also $opt_{sw}(\eta) \geq opt_r(\eta)$ and $opt_{sw}(\eta, G) \geq opt_r(\eta, G)$.

For the sake of brevity, we call (SINGLE,WELFARE)-pricing (resp. (GENERAL,WELFARE)-, (SINGLE,REVENUE)- and (GENERAL,REVENUE)-pricing) the pricing problem restricted to the instances of multi-unit markets with single-minded valuations and social welfare maximization (resp. general valuations and social welfare maximization, single-minded and revenue maximization, and general valuations and revenue maximization).

We will often reduce the pricing problem to a variant of the MULTIPLE-CHOICE KNAPSACK problem in which we are given ℓ classes $\{O_1, \dots, O_\ell\}$ of objects to pack in a knapsack of capacity k . Each object $o_{h,j} \in O_h$ has a profit $z_{h,j}$ and a size $w_{h,j}$, and we must pick at most one object from each class so as to maximize the sum of the profits of the selected objects without exceeding the knapsack capacity k . As shown in [Lawler, 1979], the problem is NP-hard, but it admits an FPTAS. MULTIPLE-CHOICE KNAPSACK has already been exploited by [Monaco *et al.*, 2015; Brânzei *et al.*, 2016; Flammini *et al.*, 2018] in order to provide optimal algorithms or efficient approximations in different scenarios concerning multi-unit markets. Some of our algorithms are inspired to such constructions.

Before concluding the section, let us remark that discrimination of prices is a particularly worth investigating issue, as it can increase the achievable social welfare and revenue up to an m multiplicative factor. This holds even for the very simple case of two single-minded buyers, as shown by the following example: buyer 1 with preferred size 1 and valuation $v_1(1) = 1 + \varepsilon$ for small ε , and buyer 2 with preferred size m and valuation $v_2(m) = m$. Without discrimination the only possibility is selling a bundle of size 1 to buyer 1 at price at most $1 + \varepsilon$, yielding social welfare and revenue at most $1 + \varepsilon$. With price discrimination it is possible to assign a bundle of size m to buyer 2 at price 1 per item, and no item to buyer 1 asking her price at least $1 + \varepsilon$. This provides social welfare and revenue m . Notice that this is strict, because it is always possible to achieve an m fraction of the optimum with discrimination, just assigning a bundle only to the buyer having the highest possible valuation per item, that is maximizing the ratio $v_i(m_i)/m_i$.

Let us also finally stress that in multi-unit markets, while

the size of the representation of instances with general valuations is polynomial in m , as different valuations must be specified for different bundle sizes, in single-minded instances the dependence is logarithmic in m , as for each buyer it is sufficient to specify the size of her unique preferred bundle, together with the corresponding valuation.

3 Single-Minded Valuations

We first show the following hardness results.

Theorem 3. *The (SINGLE,WELFARE)- and (SINGLE,REVENUE)-pricing problems are strongly NP-hard.*

Proof. We show the claim by reduction from the DENSEST K-SUBGRAPH problem in which, given an undirected graph $H = (V, F)$ and an integer k , we are interested in determining a subset $S \subseteq V$ with $|S| \leq k$ that maximizes the number of edges in the subgraph induced by S . Given an instance $(H = (V, F), k)$ of DENSEST K-SUBGRAPH, the reduced instance is constructed as follows: a buyer i_v for each $v \in V$ and a buyer i_e for each $e \in F$; arcs (i_u, i_e) and (i_v, i_e) in the social graph G for every $e = \{u, v\} \in F$; number of items $m = k(2|F| + 1) + |F|$; finally, non-null valuations are $v_{i_v}(2|F| + 1) = 2|F| + 1 + \varepsilon$ for each $v \in V$, with ε suitably small, and $v_{i_e}(1) = 1$ for every $e \in F$.

By construction, any fair outcome for the reduced instance that maximizes the social welfare (or revenue) must allocate k buyers i_v with $v \in V$, plus the highest possible number of buyers i_e with $e \in F$. Moreover, since in any fair outcome if any buyer i_e with $e = \{u, v\} \in F$ is allocated then also i_u and i_v must receive their preferred bundles, it is immediate to see that there exists a fair outcome of social welfare (resp. revenue) $k(2|F| + 1) + l$ if and only if there exists $S \subseteq V$ with $|S| \leq k$ inducing a subgraph of l edges in H , hence the claim. \square

However, the problem can be suitably approximated.

Theorem 4. *There exists a 2-approximation algorithm for (SINGLE,WELFARE)-pricing.*

Proof. In the claimed algorithm we first execute the following *pre-processing phase*. Let G' be the transitive closure of G and $N^>(i)$ be the set of buyers k such that $v_k(m_k)/m_k > v_i(m_i)/m_i$ and there exists an arc (k, i) in G' . Then, since there is a direct path from k to i in G and thus in any fair price vector the price assigned to k must be at most the one of i , if i has non-negative utility for her preferred bundle size m_i , then k has strictly positive utility for hers. Therefore, since in any envy-free allocation all the buyers with strictly positive utility must be allocated the corresponding items, if buyer i gets her preferred bundle, then also every $k \in N^>(i)$ must. This implies that, if $m_i + \sum_{k \in N^>(i)} m_k > m$, i can not be allocated in any fair outcome. Therefore, all such buyers are discarded in the pre-processing phase, and this can be clearly accomplished in polynomial time. The residual market η' thus preserves the optimal solutions of η and satisfies $m_i + \sum_{k \in N^>(i)} m_k \leq m$ for all the remaining buyers i .

Assume without loss of generality that buyers of η' are listed in non increasing order with respect to the ratios

$v_i(m_i)/m_i$, that is such that $v_i(m_i)/m_i \geq v_k(m_k)/m_k$ if $i < k$. Let k be the first buyer in the order such that $\sum_{i=1}^k m_i \geq m$. It is immediate to see that $\sum_{i=1}^k v_i(m_i)$ upper bounds the value $opt_{sw}(\eta', G)$ of the optimal solution for η' . Consider then the following two fair outcomes:

- i. (\bar{X}, \bar{p}) , where bundles X_i of size m_i are allocated only to buyers $i < k$ at price $p_i = v_{k-1}(m_{k-1})/m_{k-1}$ per item, while $p_i = \infty$ for $i \geq k$;
- ii. (\bar{X}', \bar{p}') , where bundles X_i of size m_i are allocated only to buyers in $\{k\} \cup N^>(k)$ at price $p_i = v_k(m_k)/m_k$ per item, while $p_i = \infty$ for all the remaining buyers.

Both solutions can be computed in polynomial time and by construction are fair under G also for the initial market η . It remains to show that returning the best of the two outcomes provides the claimed 2-approximation. In fact, the achieved social welfare is equal to $\max\{sw(\bar{X}, \bar{p}), sw(\bar{X}', \bar{p}')\} \geq \frac{sw(\bar{X}, \bar{p}) + sw(\bar{X}', \bar{p}')}{2} \geq \frac{opt_{sw}(\eta', G)}{2} = \frac{opt_{sw}(\eta, G)}{2}$. \square

A suitable approximation can be found also for the revenue maximization.

Theorem 5. *There exists a $O(\log n)$ -approximation algorithm for (SINGLE,REVENUE)-pricing.*

Proof. Consider the two outcomes (\bar{X}, \bar{p}) and (\bar{X}', \bar{p}') for the instance (η, G) of (SINGLE,REVENUE)-pricing determined by the algorithm of Theorem 4. If $sw(\bar{X}, \bar{p}) \geq sw(\bar{X}', \bar{p}')$, let h be the index that maximizes $\frac{v_h(m_h)}{m_h} \sum_{i=1}^h |X_i|$. Then, allocating items to buyers $1, \dots, h$ at price $v_h(m_h)/m_h$, we obtain a fair outcome for (η, G) of revenue $\frac{v_h(m_h)}{m_h} \sum_{i=1}^{h-1} |X_i| \geq \frac{\sum_{i=1}^{k-1} v_i(m_i)}{\log n}$.

Analogously, if $sw(\bar{X}', \bar{p}') > sw(\bar{X}, \bar{p})$, allocating items to all the buyers in $\{k\} \cup N^>(k)$ at price $v_k(m_k)/m_k$, we obtain a fair outcome of revenue at least $v_k(m_k)$.

The claim then follows by recalling that $\sum_{i=1}^k v_i(m_i) \geq opt_{sw}(\eta, G) \geq opt_r(\eta, G)$. \square

A refined improved approximation bound for revenue maximization can be achieved when focusing on undirected social graphs. We remark that under this assumption the problem remains computationally difficult. This comes directly by restriction to the case of complete social graphs, which corresponds to the classical problem without discrimination, shown NP-hard in [Monaco *et al.*, 2015].

Theorem 6. *The (SINGLE,REVENUE)-pricing problem restricted on undirected social graphs admits a $(2 + \varepsilon)$ -approximation.*

Proof. Let us first informally discuss the basic intuition behind the algorithm. Given an instance (η, G) of (SINGLE,REVENUE)-pricing, if G is undirected, then any fair pricing under G must assign the same price to all of the buyers belonging to a same connected component. Thus, if N_1, \dots, N_ℓ are the nodes corresponding to the maximal connected components of G , the problem translates in determining how many items must be allocated to each N_h . Let η_h be the *submarket* corresponding to the set of buyers in N_h . If we are able to solve the classical revenue maximization problem in multi-unit markets for every η_h and for every amount of

items or supply assigned to η_h , then it is possible to pack the items among the components in the best possible way using MULTIPLE-CHOICE KNAPSACK as follows. We construct an instance $K(\eta, G)$ having a class O_h for each η_h . Every O_h contains m objects $o_{h,j}$ for $1 \leq j \leq m$, where each $o_{h,j}$ represents a revenue maximizing envy-free outcome for η_h with supply j . In particular, each $o_{h,j}$ has profit $z_{i,j}$ equal to the revenue of such an outcome and size $w_{h,j} = j$. The knapsack capacity is set to m .

By construction, an optimal solution S^* for $K(\eta, G)$ directly induces a revenue maximizing fair outcome (\bar{X}, \bar{p}) for (η, G) . Unfortunately, since (η, G) has size depending on $\log m$ and $K(\eta, G)$ proportional to m , this construction is not polynomial. We solve this problem by sampling the supply values, losing only a constant factor of the optimal revenue. Namely, in $K(\eta, G)$ we do not insert in each class O_h the objects $o_{h,j}$ for all the possible sizes $j = 1, \dots, m$, but only for the at most $\lceil \log_{\frac{3}{2}} m \rceil + 2$ sizes $j = (\frac{3}{2})^0, \dots, (\frac{3}{2})^{\lceil \log_{\frac{3}{2}} m \rceil}, m$. The knapsack capacity is set to $\frac{3}{2}m$.

In order to measure the loss in revenue due to this sampling, consider a fair optimal outcome (\bar{X}, \bar{p}) for (η, G) . If j_h is the number of objects that (\bar{X}, \bar{p}) assigns to a given submarket η_h and k is the integer such that $(\frac{3}{2})^{k-1} < j_h \leq \min\{(\frac{3}{2})^k, m\}$, then in the sampled instance $K(\eta, G)$ there is an object $o_{h,j}$ in class O_h with size $j = \min\{(\frac{3}{2})^k, m\} < \frac{3}{2}j_h$. Since such an object represents an optimal outcome for submarket η_h with supply j , its profit $z_{i,j}$ is at least the one that (\bar{X}, \bar{p}) collects on the subset of buyers N_h of η_h . Therefore, all such objects correspond to a solution S for $K(\eta, G)$ of profit at least $r(\bar{X}, \bar{p})$ and total size at most $\frac{3}{2}m$. Hence, the optimal solution S^* for $K(\eta, G)$ achieves at least such a revenue. In order to extract an outcome allocating at most m items, we can split S^* in at most two sets S_1^* and S_2^* , each containing a subset of objects of overall size at most m , as follows. If S^* contains an object $o_{h,j}$ of size $j \geq \frac{m}{2}$, then $S_1^* = \{o_{h,j}\}$ and $S_2^* = S^* \setminus S_1^*$. If all objects in S^* have size less than $\frac{m}{2}$, then we start inserting objects in S_1^* in any order till not exceeding total size m , and the remaining ones in S_2^* . In this way, again S_1^* thus not exceed size m , and since its size is greater than $\frac{m}{2}$, S_2^* has size less than m . Consider then the set S_i^* of maximum profit between S_1^* and S_2^* . Allocating items only to the connected components corresponding to the objects $o_{h,j} \in S_i^*$ according to the maximum revenue solutions for the related submarkets η_h with supply j , and assigning an infinite price to all the buyers of the other connected components, we can finally collect at least one half of the revenue of S^* and thus of the optimal fair allocation (\bar{X}, \bar{p}) for (η, G) .

A final observation concerns the fact that we are not really able to optimally solve $K(\eta, G)$, nor the subproblems for determining the profits of the objects $o_{h,j}$. However, in both cases we can use respectively the FPTAS of MULTIPLE-CHOICE KNAPSACK and the one in [Monaco *et al.*, 2015] for the classical revenue maximization problem in multi-unit markets. These details only account for an additional ε loss in the final approximation. \square

4 General Valuations

In this section we drop any restriction on the buyers' valuations. We first observe that the hardness reduction of Theorem 3 for the single-minded case is polynomial also for general valuations, as m is polynomially bounded in the size of the starting DENSEST K-SUBGRAPH instance. Thus, the same negative result directly extends also to general valuations.

Theorem 7. *The (GENERAL, REVENUE)- and (GENERAL, WELFARE)-pricing problems are strongly NP-hard.*

A nice reduction from the general to the single-minded case allows to suitably extend the approximation results of the previous section to general valuations.

Theorem 8. *There exists a 2-approximation algorithm for (GENERAL, WELFARE)-pricing.*

Proof. In order to prove the claim, we show how to reduce any instance (η, G) of (GENERAL, WELFARE)-pricing into an instance (η', G') of (SINGLE, WELFARE)-pricing with the following two properties:

- i. $opt_{sw}(\eta', G') \geq opt_{sw}(\eta, G)$;
- ii. exploiting the algorithm of Theorem 4 it is possible to obtain a fair outcome (\bar{X}', \bar{p}') for (η', G') which can be directly transformed into a fair outcome (\bar{X}, \bar{p}) for (η, G) with $sw(\bar{X}, \bar{p}) \geq sw(\bar{X}', \bar{p}')$.

This clearly proves the theorem.

The reduction is obtained as follows. Consider a buyer i of η , and let $S_i = \{m_i^1, \dots, m_i^\ell\}$, with $m_i^1 \leq \dots \leq m_i^\ell$, be the set of the bundle sizes that are preferred by i for some positive price p_i , that is maximizing her utility for such a price. By the definition of S_i , if $j < k$ then $v_i(m_i^j) \leq v_i(m_i^k)$, otherwise size m_i^k would be never preferred. Moreover, if bundle size m_i^j is preferred by i for a given price p_i , comparing the utility of i for sizes m_i^j, m_i^{j-1} and sizes m_i^j, m_i^{j+1} , we obtain $(v_i(m_i^j) - v_i(m_i^{j-1})) / (m_i^j - m_i^{j-1}) \geq p_i \geq (v_i(m_i^{j+1}) - v_i(m_i^j)) / (m_i^{j+1} - m_i^j)$. For the sake of brevity, in the sequel we denote the quantity $(v_i(m_i^j) - v_i(m_i^{j-1})) / (m_i^j - m_i^{j-1})$ simply as v_i^j .

In η' we associate ℓ distinct single-minded marginal buyers i_1, \dots, i_ℓ to buyer i as follows: i_1 has preferred size m_i^1 , that is valuation function $v_{i_1}(m_i^1) = v_i(m_i^1)$, 0 otherwise; furthermore, for each $j > 1$, i_j has valuation function $v_{i_j}(m_i^j - m_i^{j-1}) = v_i(m_i^j) - v_i(m_i^{j-1})$, 0 otherwise.

For what concerns the social graph G' , for each buyer i of η, G' contains arcs (i_j, i_k) for each $j > k$. Moreover, for each pair of buyers i, l such that (i, l) belongs to G , G' contains an arc (i_j, l_k) if $v_i^j > v_l^k$.

Intuitively, in such a reduction, the allocation of a bundle of size m_i^j to buyer i corresponds to the allocation of bundles of preferred size to the prefix of the marginal buyers i_1, \dots, i_j in η' .

Let us first prove that $opt_{sw}(\eta', G') \geq opt_{sw}(\eta, G)$. To this aim, we show how to transform a fair outcome (\bar{X}, \bar{p}) for (η, G) into a fair one (\bar{X}', \bar{p}') for (η', G') such that $sw(\bar{X}', \bar{p}') = sw(\bar{X}, \bar{p})$. If $|X_i| = m_i^j$ in (\bar{X}, \bar{p}) , then in (\bar{X}', \bar{p}') we allocate to all the marginal buyers i_k with

$k \leq j$ their preferred bundles at price p_i , and no bundle to all the remaining buyers (asking them an infinite price). In this way, for each buyer i of η , $|X_i| = \sum_{k=1}^j |X'_{i_k}|$, and $v_i(|X_i|) = \sum_{k=1}^j v_{i_k}(|X'_{i_k}|)$. Notice that, since the m_i^j is the preferred bundle of buyer i in η , we must have that $v_i^k \geq p_i$ for every $k \leq j$. Thus, $(\overline{X'}, \overline{p'})$ is feasible. Moreover, since we propose the same price p_i to all buyers i_j , if \overline{p} is a fair pricing under G , also $\overline{p'}$ is fair under G' . In conclusion, $(\overline{X'}, \overline{p'})$ is a fair outcome for (η', G') with $sw(\overline{X'}, \overline{p'}) = sw(\overline{X}, \overline{p})$.

Consider now the solution $(\overline{X'}, \overline{p'})$ for η' obtained by the algorithm of Theorem 4, where the buyers are ordered in non increasing order of their values v_i^j , and in case of ties for two buyers i_j, i_k with $j < k$, that is if $v_i^j = v_i^k$, putting i_j before i_k in the ordering (recall that by the above observations it must be $v_i^j \geq v_i^k$). Since by the ordering and by the construction of the algorithm $(\overline{X'}, \overline{p'})$ can allocate only a prefix of marginal buyers i_1, \dots, i_j in η' associated to each i of η , in $(\overline{X'}, \overline{p'})$ we can assign a bundle of size m_i^j to buyer i at the price proposed to i_j in $(\overline{X'}, \overline{p'})$. It is easy to see that $(\overline{X}, \overline{p})$ is a fair outcome for (η, G) with $sw(\overline{X}, \overline{p}) = sw(\overline{X'}, \overline{p'})$. \square

We are also able to devise a suitable approximation algorithm for the revenue maximization problem.

Theorem 9. *There exists a $O(\log n + \log m)$ -approximation algorithm for (GENERAL, REVENUE)-pricing.*

Proof. (Sketch) Given an instance (η, G) of (GENERAL, REVENUE)-pricing, using the same arguments of Theorem 8, we can obtain a fair outcome $(\overline{X'}, \overline{p'})$ for the reduced single-minded instance (η', G') with $sw(\overline{X'}, \overline{p'}) \geq opt_{sw}(\eta, G)/2 \geq opt_r(\eta, G)/2$, allocating only prefixes of buyers i_1, \dots, i_j in η' .

As in Theorem 5, we can extract from $(\overline{X'}, \overline{p'})$ an outcome $(\overline{X''}, \overline{p''})$ of revenue $r(\overline{X''}, \overline{p''}) \geq sw(\overline{X'}, \overline{p'})/\log n'$, where n' is the number of buyers in η' , still allocating only prefixes of buyers i_1, \dots, i_j in η' .

Again resorting to the arguments of Theorem 8, we can transform $(\overline{X''}, \overline{p''})$ into a fair outcome for (η, G) with the same revenue. The theorem then follows by observing that in the reduction $n' \leq n \cdot m$. \square

We now focus our attention to specific cases allowing optimal polynomial time algorithms. To this aim observe that, since buyers in a same strongly connected components must be offered identical prices, a convenient way to represent G is through the graph of its strongly connected components. Namely, each node represents a component and there is an arc between two nodes if the same happens between the corresponding components. Such a graph is clearly a DAG, and properly restricting its topology we can find interesting polynomial sub-cases. In particular, we are able to prove the following theorem, that includes all the interesting realistic cases mentioned in the introduction.

Theorem 10. *There exists a polynomial time optimal algorithm for (GENERAL, WELFARE)- and (GENERAL, REVENUE)-pricing under any of the following restrictions on the social graph G : i. G is undirected, ii.*

G contains a constant number of strongly connected components, iii. the graph of the strongly connected components of G is an arborescence.

Proof. (Sketch) For undirected social graphs, a polynomial time algorithm can be obtained by the same initial construction proposed in the proof of Theorem 6 by observing that, since the size of the input instance (η, G) now is polynomial in m , sampling is no longer necessary. Moreover, both the knapsack instance $K(\eta, G)$ and the determination of the optimal market outcomes corresponding to the objects $o_{h,j}$ can be solved in polynomial time.

Let us now consider the remaining two cases. Let N_1, \dots, N_ℓ be the sets of buyers corresponding to the strongly connected components of G , and η_1, \dots, η_ℓ be the corresponding submarkets. Since all the buyers in a same component must be offered the same price, as shown in [Monaco *et al.*, 2015], for each η_k there exists a set $\mathbb{P}_{N_k}^{opt}$ of polynomial size containing all the candidate optimal prices.

For a constant number k of strongly connected components, it is possible to exhaustively search among a polynomial number of candidate optimal price vectors and return the best determined outcome.

For arborescences of strongly connected components, the basic idea behind the algorithm is that, along a path of the arborescence, some submarkets can be forced by their neighbors to set some prices which they would not set on their own. However, these prices must be optimal for some other submarket on the path. We can then use dynamic programming to find an optimal solution by combing the optimal outcome of each single subtree of submarkets, in such a way that, for respecting the fairness, non-increasing prices are proposed along each path, and the global supply constraint is satisfied. This holds both for social welfare and revenue maximization. Details will appear in the full version of the paper. \square

5 Conclusions and Future Work

We proposed a framework able to capture many realistic scenarios in which a discriminatory pricing is acceptable by buyers. We considered both social welfare and revenue maximization, under different hypotheses on the buyers valuations and the social graph topology, providing polynomial time optimal algorithms, hardness results and suitable approximations. Our framework is very general and we believe will capture future research attention.

Beside improving our approximation results, it would be worth considering other types of markets with non identical items, unit-demand buyers, single-minded valuations on non homogeneous items, and so forth. It would be also interesting to consider different notions of envy-freeness, such as *pair envy-freeness*, *social envy-freeness*, *proportionality*, etc.

Finally, the issue of influencing the social graph topology so as to increase the achievable social welfare or revenue appears another challenging interesting research direction.

References

[Abebe *et al.*, 2017] R. Abebe, J. M. Kleinberg, and D. C. Parkes. Fair division via social comparison. In *16th Conf.*

- on *Autonomous Agents and MultiAgent Systems*, AAMAS, pages 281–289, 2017.
- [Alon *et al.*, 2013] N. Alon, Y. Mansour, and M. Tennenholtz. Differential pricing with inequity aversion in social networks. In *14th ACM Conf. on Electronic Commerce, EC*, pages 9–24, 2013.
- [Amanatidis *et al.*, 2016] G. Amanatidis, E. Markakis, and K. Sornat. Inequity Aversion Pricing over Social Networks: Approximation Algorithms and Hardness Results. In *41st Int. Symp. on Mathematical Foundations of Computer Science MFCS*, volume 58, pages 9:1–9:13, 2016.
- [Anshelevich *et al.*, 2017] E. Anshelevich, K. Kar, and S. Sekar. Envy-free pricing in large markets: Approximating revenue and welfare. *ACM Transactions on Economics and Computation*, 5(3):16, 2017.
- [Balcan *et al.*, 2008] M. Balcan, A. Blum, and Y. Mansour. Item pricing for revenue maximization. In *9th ACM Conf. on Electronic Commerce EC*, pages 50–59, 2008.
- [Bilò *et al.*, 2017] V. Bilò, M. Flammini, and G. Monaco. Approximating the revenue maximization problem with sharp demands. *Theor. Comp. Science*, 662:9–30, 2017.
- [Bilò *et al.*, 2018] V. Bilò, M. Flammini, and L. Moscardelli. On the impact of buyers preselection in pricing problems. In *17th Conf. on Autonomous Agents and MultiAgent Systems*, AAMAS, 2018.
- [Brânzei *et al.*, 2016] S. Brânzei, A. Filos-Ratsikas, P. B. Miltersen, and Y. Zeng. Envy-free pricing in multi-unit markets. *arXiv:1602.08719*, 2016.
- [Briest and Krysta, 2006] P. Briest and P. Krysta. Single-minded unlimited supply pricing on sparse instances. In *17th ACM-SIAM Symp. on Discr. Alg., SODA*, pages 1093–1102, 2006.
- [Briest, 2008] P. Briest. Uniform budgets and the envy-free pricing problem. In *Automata, Languages and Programming, 35th Int. Colloq., ICALP*, pages 808–819, 2008.
- [Chalermsook *et al.*, 2012] P. Chalermsook, J. Chuzhoy, S. Kannan, and S. Khanna. Improved hardness results for profit maximization pricing problems with unlimited supply. In *Approx., Randomization, and Combinatorial Optimization. Algorithms and Techniques*, pages 73–84, 2012.
- [Chalermsook *et al.*, 2013a] P. Chalermsook, B. Laekhanukit, and D. Nanongkai. Graph products revisited: Tight approximation hardness of induced matching, poset dimension and more. In *24th ACM-SIAM Symp. on Discr. Alg., SODA*, pages 1557–1576, 2013.
- [Chalermsook *et al.*, 2013b] P. Chalermsook, B. Laekhanukit, and D. Nanongkai. Independent set, induced matching, and pricing: Connections and tight (subexponential time) approximation hardnesses. In *54th IEEE Symp. on Foundations of Computer Science, FOCS*, pages 370–379, 2013.
- [Chen and Deng, 2010] N. Chen and X. Deng. Envy-free pricing in multi-item markets. In *Automata, Languages and Programming, 37th Int. Colloq., ICALP*, pages 418–429, 2010.
- [Chen *et al.*, 2011] N. Chen, A. Ghosh, and S. Vassilvitskii. Optimal envy-free pricing with metric substitutability. *SIAM J. on Computing*, 40(3):623–645, 2011.
- [Chen *et al.*, 2016] N. Chen, X. Deng, P. W. Goldberg, and J. Zhang. On revenue maximization with sharp multi-unit demands. *J. of Combinatorial Optimization*, 31(3):1174–1205, 2016.
- [Cheung and Swamy, 2008] M. Cheung and C. Swamy. Approximation algorithms for single-minded envy-free profit-maximization problems with limited supply. In *49th IEEE Symp. on Foundations of Computer Science, FOCS*, pages 35–44, 2008.
- [Chevalerey *et al.*, 2007] Y. Chevaleyre, U. Endriss, S. Estivie, N. Maudet, et al. Reaching envy-free states in distributed negotiation settings. In *20th Int. Joint Conf. on Artificial Intell., IJCAI*, volume 7, pages 1239–1244, 2007.
- [Demaine *et al.*, 2008] E. D. Demaine, U. Feige, M. T. Hajiaghayi, and M. R. Salavatipour. Combination can be hard: Approximability of the unique coverage problem. *SIAM J. on Computing*, 38(4):1464–1483, 2008.
- [Feldman *et al.*, 2012] M. Feldman, A. Fiat, S. Leonardi, and P. Sankowski. Revenue maximizing envy-free multi-unit auctions with budgets. In *ACM Conf. on Electronic Commerce, EC*, pages 532–549, 2012.
- [Flammini *et al.*, 2018] M. Flammini, M. Mauro, and M. Tonelli. On social envy-freeness in multi-unit markets. In *32nd AAAI Conference on Artificial Intelligence*, 2018.
- [Guruswami *et al.*, 2005] V. Guruswami, J. D. Hartline, A. R. Karlin, D. Kempe, C. Kenyon, and F. McSherry. On profit-maximizing envy-free pricing. In *16th ACM-SIAM Symp. on Discr. Alg., SODA*, pages 1164–1173, 2005.
- [Hartline and Yan, 2011] J. D. Hartline and Q. Yan. Envy, truth, and profit. In *12th ACM Conf. on Electronic Commerce EC*, pages 243–252, 2011.
- [Laffont *et al.*, 1998] Jean-Jacques Laffont, Patrick Rey, and Jean Tirole. Network competition: Ii. price discrimination. *The RAND J. of Economics*, 29(1):38–56, 1998.
- [Lawler, 1979] E. L. Lawler. Fast approximation algorithms for knapsack problems. *Mathematics of Operations Research*, 4(4):339–356, 1979.
- [Monaco *et al.*, 2015] G. Monaco, P. Sankowski, and Q. Zhang. Revenue maximization envy-free pricing for homogeneous resources. In *24th Int. Joint Conf. on Artificial Intell., IJCAI*, pages 90–96, 2015.
- [Phlips, 1983] L. Phlips. *The Economics of Price Discrimination*. Cambridge University Press, 1983.
- [Pigou, 1920] A. Pigou. *The Economics of Welfare*. Palgrave Macmillan UK, 1920.
- [Stokey, 1979] N. L. Stokey. Intertemporal price discrimination. *Quarterly J. of Economics*, 93(3):355–371, 1979.
- [Varian, 1989] H. R. Varian. Chapter 10 price discrimination. volume 1 of *Handbook of Industrial Organization*, pages 597 – 654. Elsevier, 1989.